

Austria, Belgium (Flemish), Belgium (French), Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Greenland, Hungary, Ireland, Israel, Italy, Latvia, Lithuania, Malta, Netherlands, Norway, Poland, Portugal, Russia, Slovenia, Spain, Sweden, Switzerland, Ukraine, Macedonia, England, Scotland, Wales, USA

Health Behaviour in School-aged Children, HBSC

HBSC-2001/02, ed.1.0

Study Documentation

December 13, 2016

Metadata Production

Metadata Producer(s)	
Production Date	December 2, 2013
Version	
Identification	HBSC2001OAed1.0

Table of Contents

Overview	4
Scope & Coverage	5
Producers & Sponsors	6
Sampling	6
Data Collection	7
Accessibility	7
Rights & Disclaimer	7
Files Description	9
HBSC-2001, OpenAccess, ed. 1.0	9
Variables Group(s)	10
Id variables	10
Sample weights	10
Data collection	10
Demographics	10
Health behaviours - Eating behaviour	10
Health behaviours - Injuries	11
Health behaviours - Oral health	11
Health behaviours - Physical activity	11
Health behaviours - Sedentary behaviour	11
Health outcomes - Body weight and body image	12
Health outcomes - Health complaints	12
Health outcomes - Self rated health and life satisfaction	12
Risk behaviours - Alcohol use	13
Risk behaviours - Bullying	13
Risk behaviours - Cannabis use	13
Risk behaviours - Fighting	13
Risk behaviours - Sexual behaviour	14
Risk behaviours - Tobacco use	14
Social context - Family	14
Social context - Peers	16
Social context - Puberty	16
Social context - School environment	16
Social inequality - Family affluence	17
Social inequality - Parents occupational status	17
Variables Description	18
HBSC-2001, OpenAccess, ed. 1.0	19

HBSC-2001/02, ed.1.0**Overview**

Identification	HBSC2001OAed1.0
Version	Production Date: 2015-10-01 HBSC 2001 OA edition 1.0 <u>Notes</u> This first edition includes all countries/regions that conducted the survey in 2001/2002 and all of their relevant mandatory variables. New editions of this file may be released in the future.

Abstract

The HBSC research network is an international alliance of researchers that collaborate on the cross-national survey of school students: Health Behaviour in School-aged Children (HBSC). The HBSC collects data every four years on 11-, 13- and 15-year-old boys' and girls' health and well-being, social environments and health behaviours. These years mark a period of increased autonomy that can influence how their health and health-related behaviours develop. The research venture dates back to 1982, when researchers from England, Finland and Norway agreed to develop and implement a shared research protocol to survey school children. By 1983 the HBSC study was adopted by the WHO Regional Office for Europe as a collaborative study. HBSC now includes about 43 countries and regions across Europe and North America. This research collaboration brings in individuals with a wide range of expertise in areas such as clinical medicine, epidemiology, human biology, paediatrics, pedagogy, psychology, public health, public policy, and sociology. The approach to study development has therefore involved cross-fertilization of a range of perspectives. As such, the HBSC study is the product of topic-focused groups that collaborate to develop the conceptual foundations of the study, identify research questions, decide the methods and measurements to be employed, and work on data analyses and the dissemination of findings.

What do we research?

Behaviours established during adolescence can continue into adulthood, affecting issues such as mental health, the development of health complaints, tobacco use, diet, physical activity levels, and alcohol use. HBSC focuses on understanding young people's health in their social context - where they live, at school, with family and friends. Researchers in the HBSC network are interested in understanding how these factors, individually and together, influence young people's health as they move from childhood into young adulthood.

The international standard questionnaire produced for every survey cycle enables the collection of common data across all participating countries and thus enables the quantification of patterns of key health behaviours, health indicators and contextual variables. These data allow cross-national comparisons to be made and, with successive surveys, trend data is gathered and may be examined at both the national and cross-national level. The international network is organized around an interlinked series of focus and topic groups related to the following areas:

- Body image
- Bullying and fighting
- Eating behaviours
- Health complaints
- Injuries
- Life satisfaction
- Obesity
- Oral health
- Physical activity and sedentary behaviour
- Relationships: Family and Peers
- School environment
- Self-rated health
- Sexual behaviour
- Socioeconomic environment
- Substance use: Alcohol, Tobacco and Cannabis
- Weight reduction behaviour
- How can you use our findings and expertise?

HBSC's findings show how young people's health changes as they move from childhood, through adolescence into adulthood. Member countries and stakeholders at national and international levels use our data to monitor young people's health, understand the social determinants of health, and determine effective health improvement interventions. Those working in child and adolescent health view HBSC as an extensive databank and repository of multidisciplinary expertise, which can: support and further their research interests, lobby for change, inform policy and practice, and monitor trends over time.

After each survey cycle most countries write a national report, and each survey cycle is also followed by an international report. The international reports and more comprehensive information can be found by following these links:

HBSC Homepage: www.hbsc.org

International reports: <http://www.hbsc.org/publications/international>

Kind of Data	Survey data
Unit of Analysis	Individual

Scope & Coverage

Keywords	Education, Health, Children, Physical activities, Diet and nutrition, Leisure time activities, Sexual behaviour
Topics	Body image, Bullying and fighting, Eating behaviours, Health complaints, Injuries, Life satisfaction, Obesity, Oral health, Physical activity and sedentary behaviour, Relationships: Family and Peers, School environment, Self-rated health, Sexual behaviour, Socioeconomic environment, Substance use: Alcohol, Tobacco and Cannabis, Weight and reduction behaviour
Time Period(s)	2001-2006
Countries	Austria, Belgium (Flemish), Belgium (French), Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Greenland, Hungary, Ireland, Israel, Italy, Latvia, Lithuania, Malta, Netherlands, Norway, Poland, Portugal, Russia, Slovenia, Spain, Sweden, Switzerland, Ukraine, Macedonia, England, Scotland, Wales, USA

Geographic Coverage

Country/Region:

Austria,
Belgium (Flemish),
Belgium (French),
Canada,
Croatia,
Czech Republic,
Denmark,
Estonia,
Finland,
France,
Germany,
Greece,
Greenland,
Hungary,
Ireland,
Israel,
Italy,
Latvia,
Lithuania,
Malta,
Netherlands,
Norway,

Poland,
Portugal,
Russia,
Slovenia,
Spain,
Sweden,
Switzerland,
Ukraine,
Macedonia,
England,
Scotland,
Wales,
USA.

Universe

The HBSC collects data every four years on 11-, 13- and 15-year-old boys' and girls' health and well-being, social environments and health behaviours in 43 countries.

Producers & Sponsors

Primary Investigator(s)	Health Behaviour in School-aged Children, HBSC
Other Producer(s)	Health Behaviour in School-aged Children (HBSC)
Funding Agency/ies	Each member country is responsible for its own funding of the project. Norway and Scotland has a special responsibility in the fundings of the entire project and the open access solution.
Other Acknowledgment(s)	, Finance the internationale reports , WHO

Sampling

Sampling Procedure

Most students are selected through random selection of classes within targeted school years/grades. In most cases only one class per grade will be selected but on occasion there may be more than one (e.g. if class sizes are small).

Sample selection

Two preferred ways a sampling are set out: 1) simple random sampling of school classes uses a computerized random sampling procedure, 2) systematic sampling of every n-th class from the list using a random starting point. Systematic sampling is just as good as random sampling as long as the list does not contain any hidden order. If a different method is proposed, please give as much detail as possible. Knowledge about the method of sampling is important because it influences bias and precision of population parameter estimates.

Probability proportional to size (PPS) sampling

Put simply, when PPS sampling is used, the size of the school is taken into account when drawing the sample, to ensure that students have an equal chance of selection. If PPS sampling is not used, students in smaller schools have a greater chance of selection (e.g. 30 students selected from 150 compared with 30 students selected from 250). School size could be measured by number of classes or total number of students at the school. PPS sampling is used on many large scale social surveys.

In Wales, each school is represented on the sample frame by the total number of students in the school (we don't have information on the number of classes per school). The sampling fraction is calculated by dividing the total population by the number of schools required to deliver a sample of sufficient size. The outcome is that large schools have a greater chance of selection, which balances the fact that the chance of a student (or class) being selected in a large school is lower, the end result being that each individual class (student) in the population has a (roughly) equal chance of selection.

For example, if then we have 5 schools in a local education authority of size 1000, 750, 500, 400 and 200 students, school A will take up places 1-1000 on the sampling frame, school B 1001-1750, school C 1751-2250, school D 2251-2650 and school E 2651-2850. If 2 schools were required in the authority (using the national sampling fraction), sampling fraction would be 1425 and let's assume a random start point of 800, then the school at points 800 and 2225 would be selected i.e. schools A and C.

Response Rate

Comparing response rates across countries/regions in the HBSC study and interpreting differences is problematic for a number of reasons. First, there is variability in the primary sampling unit (PSU) between countries/regions, with some selecting classes and others schools, depending on the availability of a class-based sampling frame. Where school is the PSU, it is common to select a class in each of the three age groups within a school, increasing the potential burden, which is likely to impact on school/class level response rates. Second, country or region size and differences in the volume of school-based research may impact on school/class level response rates, with the burden on schools and likelihood of taking part varying between participating countries/regions. Third, countries/regions differ in the way that they deal with non-response, some oversampling, some pre-selecting replacement schools or a combination of both approaches. Fourth, information is not always available on pupil non-attendance on the day that fieldwork takes place, meaning that pupil level response rates cannot be calculated or have to be approximated.

Data Collection

Data Collection Dates	start 2001-09-01 end 2006-10-31
Time Period(s)	start 2001 end 2002
Data Collection Mode	Paper/pencil questionnaire
Data Collector(s)	Member countries of HBSC (HBSC)

Other Processing

The mandatory items were delivered to all age groups with the following exceptions, which were delivered to 15 year olds only:

- Age of onset for drinking alcohol, drunkenness and smoking (M22)
- Illicit drug use (cannabis) (M23)
- Sexual health (M24-M27)

It is recognised that in some countries topics of illicit drug use (cannabis) and sexual health are considered highly sensitive and their inclusion may not have been possible. If the inclusion of one or more of these topics would seriously jeopardise the national survey (for example, because approval by governing bodies would not be granted or response rates would be affected to an unacceptable level) it was permissible to exclude these items.

Accessibility

Distributor(s)	HBSC Data Management Center
Depositor(s)	

Rights & Disclaimer

Disclaimer

Neither Health Behaviour in School-aged Children nor NSD are responsible for the analysis/interpretation of the data presented here.

Copyright	Copyright (C) 2013 Health Behaviour in School-aged Children
------------------	---

Files Description

Dataset contains 1 file(s)

HBSC-2001, OpenAccess, ed. 1.0	
# Cases	162305
# Variable(s)	127

Variables Group(s)

Dataset contains 24 group(s)

Group Id variables							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	surveyyear	Survey year/round	discrete	numeric-8.0	162305	0	HBSC 2001
2	countryno	Country/WHO Region	discrete	numeric-8.0	162305	0	-
3	subregion	Region	continuous	numeric-2.0	23035	139270	Region/Municipality
4	schoolno	School number	continuous	numeric-8.0	155611	6694	School
5	classno	Class number	continuous	numeric-8.0	155610	6695	Class
6	uniqueid	Unique ID	continuous	numeric-8.2	155610	6695	-

Group Sample weights							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	sampleweights	Weighting	discrete	numeric-8.6	162305	0	Weight of dataset

Group Data collection							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	monhtcollect	Month of data collection	discrete	numeric-2.0	162305	0	Month of data collection
2	yearcollect	Year of data collection	discrete	numeric-4.0	162305	0	Year of data collection

Group Demographics							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	sex	Gender	discrete	numeric-1.0	162305	0	MQ1. Are you a boy or a girl?
2	grade	Grade	discrete	numeric-1.0	162305	0	-
3	monthbirth	Month of birth	discrete	numeric-2.0	161521	784	MQ3. What month were you born?
4	yearbirth	Year of birth	discrete	numeric-4.0	161568	737	MQ4. What year were you born?
5	age	Age	continuous	numeric-7.5	160976	1329	Age
6	agecat	Age category	discrete	numeric-8.0	160976	1329	Age category

Group Health behaviours - Eating behaviour							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	breakfastwd	Breakfast weekdays	discrete	numeric-1.0	146547	15758	MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)? Please tick one box for weekdays and one box for weekend
2	breakfastwe	Breakfast weekend	discrete	numeric-1.0	146074	16231	MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)? Please tick one box for weekdays and one box for weekend
3	lunchwd	Lunch weekdays	discrete	numeric-1.0	151981	10324	-
4	lunchwe	Lunch weekends	discrete	numeric-1.0	151261	11044	-

#	Name	Label	Type	Format	Valid	Invalid	Question
5	supperwd	Supper weekdays	discrete	numeric-1.0	152040	10265	-
6	supperwe	Supper weekend	discrete	numeric-1.0	151363	10942	-
7	fruits	Eat fruits	discrete	numeric-1.0	161454	851	MQ6. How many times a week do you usually eat or drink ? A. Fruit
8	vegetables	Eat vegetables	discrete	numeric-1.0	161298	1007	MQ6. How many times a week do you usually eat or drink ? B. Vegetables
9	sweets	Eat sweets	discrete	numeric-1.0	161303	1002	MQ6. How many times a week do you usually eat or drink ? C. Sweets (candy or chocolate)
10	softdrinks	Drink coke/soft drinks	discrete	numeric-1.0	161369	936	MQ6. How many times a week do you usually eat or drink ? D. Coke or other soft drinks that contain sugar
11	ondiet	On a diet	discrete	numeric-1.0	157035	5270	MQ7. At present are you on a diet or doing something else to lose weight?

Group Health behaviours - Injuries

#	Name	Label	Type	Format	Valid	Invalid	Question
1	injured12m	Times injured	discrete	numeric-1.0	160686	1619	injured12m question details

Group Health behaviours - Oral health

#	Name	Label	Type	Format	Valid	Invalid	Question
1	toothbr	Tooth brushing	discrete	numeric-1.0	158426	3879	MQ11. How often do you brush your teeth?

Group Health behaviours - Physical activity

#	Name	Label	Type	Format	Valid	Invalid	Question
1	physact60	Physically active last 7 days	discrete	numeric-1.0	154555	7750	physact60 question details
2	physactweek	Physically active usual week	discrete	numeric-1.0	154636	7669	-
3	physactavg	Average weekly physical activity	continuous	numeric-3.1	153038	9267	-

Group Health behaviours - Sedentary behaviour

#	Name	Label	Type	Format	Valid	Invalid	Question
1	tvwd	Watch tv, weekdays	discrete	numeric-1.0	156211	6094	MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time? A. Weekdays
2	tvwe	Watch tv, weekend	discrete	numeric-1.0	155173	7132	MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time? B. Weekends
3	hworkwd	Time homework, weekdays	discrete	numeric-1.0	151666	10639	-
4	hworkwe	Time homework, weekends	discrete	numeric-1.0	150661	11644	-
5	compusewd	Computer use, weekdays	discrete	numeric-1.0	146867	15438	MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time? A. Weekdays

#	Name	Label	Type	Format	Valid	Invalid	Question
6	compusewe	Computer use, weekends	discrete	numeric-1.0	145962	16343	MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time? B. Weekends

Group Health outcomes - Body weight and body image

#	Name	Label	Type	Format	Valid	Invalid	Question
1	thinkbody	Think about body	discrete	numeric-1.0	159820	2485	MQ8. Do you think your body is.....?
2	bodyweight	Weight	continuous	numeric-3.0	147707	14598	MQ9. How much do you weigh without clothes?
3	bodyheight	Height	continuous	numeric-3.0	144833	17472	MQ10. How tall are you without shoes?
4	mbmi	Body Mass Index	continuous	numeric-8.2	138335	23970	-

Group Health outcomes - Health complaints

#	Name	Label	Type	Format	Valid	Invalid	Question
1	headache	Headache	discrete	numeric-1.0	160258	2047	MQ39. In the last 6 months: how often have you had the following....? A. Headache
2	stomachache	Stomach-ache	discrete	numeric-1.0	159985	2320	MQ39. In the last 6 months: how often have you had the following....? B. Stomach-ache
3	backache	Back ache	discrete	numeric-1.0	159631	2674	MQ39. In the last 6 months: how often have you had the following....? C. Back ache
4	feellow	Feeling low	discrete	numeric-1.0	159402	2903	MQ39. In the last 6 months: how often have you had the following....? D. Felling low
5	irritable	Irritability or bad temper	discrete	numeric-1.0	159630	2675	MQ39. In the last 6 months: how often have you had the following....? D. Irritability or bad temper
6	nervous	Feeling nervous	discrete	numeric-1.0	159615	2690	MQ39. In the last 6 months: how often have you had the following....? E. Feeling nervous
7	sleepdifficulty	Difficulties in sleeping	discrete	numeric-1.0	159555	2750	MQ39. In the last 6 months: how often have you had the following....? F. Difficulties in getting to sleep
8	dizzy	Feeling dizzy	discrete	numeric-1.0	159480	2825	MQ39. In the last 6 months: how often have you had the following....? G. Feeling dizzy

Group Health outcomes - Self rated health and life satisfaction

#	Name	Label	Type	Format	Valid	Invalid	Question
1	health	Health	discrete	numeric-1.0	152111	10194	MQ40. Would you say your health is.....?
2	lifesat	Life satisfaction	discrete	numeric-2.0	149292	13013	MQ42. Here is a picture of a ladder. The top of the ladder '10' is the best possible life for you and the bottom '0' is the worst possible life for you. In general, where on the ladder do you feel you stand at the moment?

Group Risk behaviours - Alcohol use							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	beer	Beer	discrete	numeric-1.0	158483	3822	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like....[Add appropriate examples]? Try to include even those times when you only drink a small amount. A. Beer
2	wine	Wine	discrete	numeric-1.0	157543	4762	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like....[Add appropriate examples]? Try to include even those times when you only drink a small amount. B. Wine
3	spirits	Spirits	discrete	numeric-1.0	157486	4819	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like....[Add appropriate examples]? Try to include even those times when you only drink a small amount. C. Spirits
4	alcofreq	Drink alcohol	discrete	numeric-1.0	159028	3277	-
5	drunk	Been drunk	discrete	numeric-1.0	160799	1506	MQ21. Have you ever had so much alcohol that you were really drunk?
6	agealco	Age of first alcohol drink	discrete	numeric-2.0	149269	13036	MQ22. At what age did you first do the following things? A. Drink alcohol (more than a small amount)
7	agedrunk	Age of first drunk	discrete	numeric-2.0	149217	13088	MQ22. At what age did you first do the following things? B. Get drunk

Group Risk behaviours - Bullying							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	beenbullied	Bullied	discrete	numeric-1.0	158004	4301	beenbullied question details
2	bulliedothers	Bullied others	discrete	numeric-1.0	157722	4583	MQ31. How often have you taken part in bullying another student(s) at school in the past couple of months?

Group Risk behaviours - Cannabis use							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	cannabisltm	Cannabis life time	discrete	numeric-1.0	67160	95145	MQ23. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES]? A. In your life
2	cannabis12m	Cannabis last 12 months	discrete	numeric-1.0	65954	96351	MQ23. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES]? B. In the last 12 months

Group Risk behaviours - Fighting							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	fight12m	Times physical fight	discrete	numeric-1.0	161082	1223	MQ29. During the past 12 months, how many times were you in a physical fight?

Group Risk behaviours - Sexual behaviour							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	hadsex	Sexual intercourse	discrete	numeric-1.0	48070	114235	MQ24. Have you ever had sexual intercourse (sometimes this is called "making love," "having sex," or "going all the way" or other appropriate colloquial terms)?
2	agesex	Age of first sexual intercourse	discrete	numeric-1.0	44117	118188	MQ25. Age of first sexual intercourse
3	contraceptnever	Contraceptive-Never	discrete	numeric-1.0	35117	127188	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? A. I have never had sexual intercourse
4	contraceptnomet	Contraceptive-No method	discrete	numeric-1.0	18348	143957	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? B. No method was used to prevent pregnancy
5	contraceptpill	Contraceptive-birth control pills	discrete	numeric-1.0	8924	153381	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? C. Birth control pills
6	contraceptcondom	Contraceptive-condoms	discrete	numeric-1.0	10565	151740	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? D. Condoms
7	contraceptwithdra	Contraceptive-withdrawal	discrete	numeric-1.0	8512	153793	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? E. Withdrawal
8	contraceptother	Contraceptive-other method - 15-year-olds	discrete	numeric-8.0	8458	153847	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? G. Some other method
9	contraceptnotsure	Contraceptive-not sure	discrete	numeric-1.0	8744	153561	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? G. Not sure
10	condomuse	Condom use, last intercourse	discrete	numeric-1.0	42341	119964	MQ27. The last time you had sexual intercourse, did you or your partner use a condom?

Group Risk behaviours - Tobacco use							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	triedsmoke	Tried smoking	discrete	numeric-1.0	161145	1160	MQ18. Have you ever smoked tobacco? (At least one cigarette, cigar or pipe)
2	smoking	Smoking	discrete	numeric-1.0	161284	1021	MQ19. How often do you smoke tobacco at present?
3	agecigarette	Age of first cigarette	discrete	numeric-2.0	149343	12962	MQ22. At what age did you first do the following things? C. Smoke a cigarette (more than a puff)

Group Social context - Family							
#	Name	Label	Type	Format	Valid	Invalid	Question

#	Name	Label	Type	Format	Valid	Invalid	Question
1	motherhome1	Mother in main home	discrete	numeric-1.0	159715	2590	motherhome1 question details
2	fatherhome1	Father in main home	discrete	numeric-1.0	154290	8015	fatherhome1 question details
3	stepmohome1	Stepmother in main home	discrete	numeric-1.0	124628	37677	stepmohome1 question details
4	stepfahome1	Stepfather in main home	discrete	numeric-1.0	126612	35693	stepfahome1 question details
5	grandmohome1	Grandmother in main home	discrete	numeric-1.0	129724	32581	grandmohome1 question details
6	grandfahome1	Grandfather in main home	discrete	numeric-1.0	127699	34606	grandfahome1 question details
7	fosterhome1	Living in foster/child home	discrete	numeric-1.0	124413	37892	fosterhome1 question details
8	elsehome1	Living with someone else or somewhere else	discrete	numeric-1.0	124859	37446	elsehome1 question details
9	brothershome1	No. brothers main home	discrete	numeric-2.0	145024	17281	brothershome1 question details
10	sistershome1	No. sisters main home	discrete	numeric-2.0	143643	18662	sistershome1 question details
11	motherhome2	Mother in second home	discrete	numeric-1.0	100973	61332	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Mother
12	fatherhome2	Father in second home	discrete	numeric-1.0	103265	59040	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Father
13	stepmohome2	Stepmother in second home	discrete	numeric-1.0	100916	61389	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? C. Stepmother
14	stepfahome2	Stepfather in second home	discrete	numeric-1.0	99733	62572	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? D. Stepfather
15	grandmohome2	Grandmother in second home	discrete	numeric-1.0	101063	61242	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? E. Grandmother
16	grandfahome2	Grandfather in second home	discrete	numeric-1.0	100598	61707	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? F. Grandfather
17	fosterhome2	Living in foster/child home	discrete	numeric-1.0	99438	62867	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? G. Living in foster home/children's home
18	elsehome2	Living with someone else or somewhere else	discrete	numeric-1.0	99654	62651	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? H. Somone or somewhere els: pleas writ it down ...
19	brothershome2	No. brothers second home	discrete	numeric-2.0	44278	118027	brothershome2 question details
20	sistershome2	No. sisters second home	discrete	numeric-2.0	44013	118292	sistershome2 question details
21	timehome1	Time in main home	discrete	numeric-1.0	154353	7952	-
22	timehome2	Time in second home	discrete	numeric-1.0	25292	137013	-
23	talkfather	Talk to father	discrete	numeric-1.0	157265	5040	MQ34. How easy is it for you to talk to the following persons about things that really bother you? A. Father

#	Name	Label	Type	Format	Valid	Invalid	Question
24	talkstepfa	Talk to stepfather	discrete	numeric-1.0	122961	39344	MQ34. How easy is it for you to talk to the following persons about things that really bother you? B. Stepfather
25	talkmother	Talk to mother	discrete	numeric-1.0	157650	4655	MQ34. How easy is it for you to talk to the following persons about things that really bother you? C. Mother
26	talkstepmo	Talk to stepmother	discrete	numeric-1.0	120449	41856	MQ34. How easy is it for you to talk to the following persons about things that really bother you? D. Stepmother
27	talkbrother	Talk to elder brother	discrete	numeric-1.0	135347	26958	MQ34. How easy is it for you to talk to the following persons about things that really bother you? E. Elder brother(s)
28	talksister	Talk to elder sister	discrete	numeric-1.0	135051	27254	MQ34. How easy is it for you to talk to the following persons about things that really bother you? F. Elder sister(s)

Group Social context - Peers

#	Name	Label	Type	Format	Valid	Invalid	Question
1	talkbestfriend	Talk to best friend	discrete	numeric-1.0	154145	8160	MQ34. How easy is it for you to talk to the following persons about things that really bother you? G. Best friend
2	talksamesex	Talk to friend same sex	discrete	numeric-1.0	153392	8913	MQ34. How easy is it for you to talk to the following persons about things that really bother you? H. Friend of the same sex
3	talkopposex	Talk to friend opposite sex	discrete	numeric-1.0	151672	10633	MQ34. How easy is it for you to talk to the following persons about things that really bother you? I. Friend of oppsite sex?
4	malefriends	Close male friends	discrete	numeric-1.0	158793	3512	MQ35. At present, how many close male and female friends do you have? A. Male friends
5	femalefriends	Close female friends	discrete	numeric-1.0	157572	4733	MQ35. At present, how many close male and female friends do you have? B. Female friends
6	friendsafternoon	After school with friends	discrete	numeric-1.0	159709	2596	MQ36. How many days a week do you usually spend time with friends right after school?
7	friendsevening	Evenings with friends	discrete	numeric-1.0	157447	4858	MQ37. How many evenings per week do you usually spend out with your friends?
8	emedia6m	E-communication with friends	discrete	numeric-1.0	157085	5220	MQ38. How often do you talk to your friend(s) on the phone or send them text messages or have contact through the internet?

Group Social context - Puberty

#	Name	Label	Type	Format	Valid	Invalid	Question
1	menarche	Age of menstruation	discrete	numeric-2.0	73174	89131	MQ53. Have you begun to menstruate (have periods)?

Group Social context - School environment

#	Name	Label	Type	Format	Valid	Invalid	Question
1	acachieve	Academic achievement	discrete	numeric-1.0	160597	1708	MQ42. In your opinion, what does your class teacher(s) think about your school performance compared to your classmates?
2	likeschool	Liking school	discrete	numeric-1.0	161121	1184	MQ43. How do you feel about school at present?
3	studtogether	Students beeing together	discrete	numeric-1.0	160497	1808	MQ44. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. A. The students in my class(es) enjoy being together
4	studhelpful	Students kind and helpful	discrete	numeric-1.0	160199	2106	MQ44. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. B. Most of the students in my class(es) are kind and helpful
5	studaccept	Students accept me	discrete	numeric-1.0	159978	2327	MQ44. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. C. Other students accept me as I am
6	schoolpressure	Pressured by schoolwork	discrete	numeric-1.0	160339	1966	MQ45. How pressured do you feel by the schoolwork you have to do?

Group Social inequality - Family affluence

#	Name	Label	Type	Format	Valid	Invalid	Question
1	famcar	Family car	discrete	numeric-1.0	160550	1755	MQ47. Does your family own a car, van or truck?
2	bedroom	Own bedroom	discrete	numeric-1.0	160404	1901	MQ48. Do you have your own bedroom for yourself?
3	holidays	Vacation	discrete	numeric-1.0	160404	1901	MQ49. During the past 12 months, how many times did you travel away on holiday [vacation] with your family?
4	computers	No. of computers	discrete	numeric-1.0	160730	1575	MQ50. How many computers does your family own?
5	welloff	Family well off	discrete	numeric-1.0	159615	2690	MQ51. How well off do you think your family is?
6	hungry	Hungry to bed	discrete	numeric-1.0	161148	1157	MQ52. Some young people go to school or to bed hungry because there is not enough food at home. How often does this happen to you?

Group Social inequality - Parents occupational status

#	Name	Label	Type	Format	Valid	Invalid	Question
1	occupsesfa	Extended code	discrete	numeric-8.0	162305	0	Composite measure
2	occupsesmo	Extended code	discrete	numeric-8.0	162305	0	Composite measure

Variables Description

Dataset contains 127 variable(s)

File : HBSC-2001, OpenAccess, ed. 1.0

surveyyear: Survey year/round

Information [Type= discrete] [Format=numeric] [Range= 2002-2002] [Missing=*]

Statistics [NW/ W] [Valid=162305 /-] [Invalid=0 /-] [Mean=2002 /-] [StdDev=0 /-]

Literal question HBSC 2001

Value	Label	Cases	Percentage
2002		162305	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

countryno: Country/WHO Region

Information [Type= discrete] [Format=numeric] [Range= 8000-840000] [Missing=*]

Statistics [NW/ W] [Valid=162305 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
8000	Albania	0	
40000	Austria	4472	2.8%
51000	Armenia	0	
56001	Belgium (Flemish)	6289	3.9%
56002	Belgium (French)	4323	2.7%
100000	Bulgaria	0	
124000	Canada	4361	2.7%
191000	Croatia	4397	2.7%
203000	Czech Republic	5012	3.1%
208000	Denmark	4672	2.9%
233000	Estonia	3979	2.5%
246000	Finland	5388	3.3%
250000	France	8185	5.0%
276000	Germany	5650	3.5%
300000	Greece	3807	2.3%
304000	Greenland	891	0.5%
348000	Hungary	4164	2.6%
352000	Iceland	0	
372000	Ireland	2875	1.8%
376000	Israel	5661	3.5%
380000	Italy	4386	2.7%
428000	Latvia	3481	2.1%
440000	Lithuania	5645	3.5%
442000	Luxembourg	0	
470000	Malta	1980	1.2%
498000	Republic of Moldova	0	
528000	Netherlands	4268	2.6%
578000	Norway	5023	3.1%
616000	Poland	6383	3.9%
620000	Portugal	2940	1.8%
642000	Romania	0	
643000	Russia	8037	5.0%
703000	Slovakia	0	

File : HBSC-2001, OpenAccess, ed. 1.0

countryno: Country/WHO Region

Value	Label	Cases	Percentage
705000	Slovenia	3956	2.4%
724000	Spain	5827	3.6%
752000	Sweden	3926	2.4%
756000	Switzerland	4679	2.9%
792000	Turkey	0	
804000	Ukraine	4090	2.5%
807000	Macedonia	4161	2.6%
826001	England	6081	3.7%
826002	Scotland	4404	2.7%
826003	Wales	3887	2.4%
840000	USA	5025	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

subregion: Region

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=23035 /-] [Invalid=139270 /-] [Mean=7.012 /-] [StdDev=7.872 /-]
Literal question	Region/Municipality

schoolno: School number

Information	[Type= continuous] [Format=numeric] [Range= 400001-8400233] [Missing=*]
Statistics [NW/ W]	[Valid=155611 /-] [Invalid=6694 /-] [Mean=4719642.558 /-] [StdDev=2600762.708 /-]
Literal question	School

classno: Class number

Information	[Type= continuous] [Format=numeric] [Range= 400001-8400492] [Missing=*]
Statistics [NW/ W]	[Valid=155610 /-] [Invalid=6695 /-] [Mean=4719706.054 /-] [StdDev=2600771.737 /-]
Literal question	Class

uniqueid: Unique ID

Information	[Type= continuous] [Format=numeric] [Range= 400001001-8400492012] [Missing=*]
Statistics [NW/ W]	[Valid=155610 /-] [Invalid=6695 /-] [Mean=4719706064.653 /-] [StdDev=2600771736.182 /-]

sampleweights: Weighting

Information	[Type= discrete] [Format=numeric] [Range= 0.595333872040806-1.87424970791149] [Missing=*]
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0.0541 /-]
Literal question	Weight of dataset

Value	Label	Cases	Percentage
0.5953338720408		97	0.1%
0.6328410528520		155	0.1%
0.6975450057598		62	0.0%
0.7033912724057		51	0.0%
0.7053410297025		186	0.1%
0.7162151684959		91	0.1%
0.7414916848986		125	0.1%
0.7477062776056		86	0.1%

File : HBSC-2001, OpenAccess, ed. 1.0

sampleweights: Weighting

Value	Label	Cases	Percentage
0.7613381038540		113	0.1%
0.8264389710263		124	0.1%
0.8333655242254		130	0.1%
0.8389688559782		18	0.0%
0.8391800589494		47	0.0%
0.843076		340	0.2%
0.8462133977992		51	0.0%
0.846403		365	0.2%
0.8485590492336		137	0.1%
0.852489		160	0.1%
0.8918255101249		41	0.0%
0.8920500192900		108	0.1%
0.8995264720367		96	0.1%
0.9082591852534		200	0.1%
0.909279		1562	1.0%
0.911226		133	0.1%
0.9356704221774		47	0.0%
0.943709		84	0.1%
0.950895		1445	0.9%
0.9830089685130		35	0.0%
0.9912477667235		44	0.0%
0.9939954444983		44	0.0%
0.9942456740386		110	0.1%
0.994829		284	0.2%
1		152134	93.7%
1.0025786493649		104	0.1%
1.0093197259002		11	0.0%
1.0449404272334		71	0.0%
1.0536982856027		75	0.0%
1.0641955520474		150	0.1%
1.0729088130220		18	0.0%
1.0731147915362		104	0.1%
1.0926793114833		223	0.1%
1.0963129441798		13	0.0%
1.1055013660681		15	0.0%
1.115789		1270	0.8%
1.1256563426825		39	0.0%
1.1646516192351		74	0.0%
1.174224		29	0.0%
1.1744128014662		71	0.0%
1.1826068817538		21	0.0%
1.1925185506940		18	0.0%
1.1958241386890		37	0.0%

File : HBSC-2001, OpenAccess, ed. 1.0

sampleweights: Weighting

Value	Label	Cases	Percentage
1.2571133935210		74	0.0%
1.2676495166986		63	0.0%
1.270616		129	0.1%
1.2799560135419		39	0.0%
1.2802782311201		118	0.1%
1.2910085035158		108	0.1%
1.3120035643703		43	0.0%
1.3185850503952		1	0.0%
1.3189169924910		6	0.0%
1.3299711042088		21	0.0%
1.4011316924571		71	0.0%
1.4128748623063		59	0.0%
1.4997079231823		35	0.0%
1.5122772804818		27	0.0%
1.5372576244123		10	0.0%
1.5398484026514		22	0.0%
1.541569		48	0.0%
1.5449690665505		7	0.0%
1.5501416933993		9	0.0%
1.5579177667033		8	0.0%
1.5784031415878		31	0.0%
1.5863209845724		8	0.0%
1.626127		106	0.1%
1.738205		126	0.1%
1.8042204775191		21	0.0%
1.8193420165058		35	0.0%
1.8493945669779		11	0.0%
1.8586718012992		4	0.0%
1.8648947192013		13	0.0%
1.8742497079114		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

monhtcollect: Month of data collection

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-]
Literal question	Month of data collection

Value	Label	Cases	Percentage
1		3018	1.9%
2		25119	15.5%
3		39821	24.5%
4		19992	12.3%
5		28536	17.6%
6		13384	8.2%
9		467	0.3%

File : HBSC-2001, OpenAccess, ed. 1.0

monhtcollect: Month of data collection

Value	Label	Cases	Percentage
10		9739	6.0%
11		9400	5.8%
12		12829	7.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

yearcollect: Year of data collection

Information	[Type= discrete] [Format=numeric] [Range= 2001-2002] [Missing=*]
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-]
Literal question	Year of data collection

Value	Label	Cases	Percentage
2001		28628	17.6%
2002		133677	82.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sex: Gender

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-]
Literal question	MQ1. Are you a boy or a girl?

Value	Label	Cases	Percentage
1	Boy	78936	48.6%
2	Girl	83369	51.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

grade: Grade

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Primary	55502	34.2%
2	Secondary	55987	34.5%
3	Comprehensive	50816	31.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

monthbirth: Month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=161521 /-] [Invalid=784 /-] [Mean=6.419 /-] [StdDev=3.319 /-]
Literal question	MQ3. What month were you born?

Value	Label	Cases	Percentage
1		12370	7.7%
2		11704	7.2%
3		14150	8.8%
4		14244	8.8%
5		15525	9.6%
6		15175	9.4%
7		14761	9.1%

File : HBSC-2001, OpenAccess, ed. 1.0

monthbirth: Month of birth

Value	Label	Cases	Percentage
8		14175	8.8%
9		13301	8.2%
10		12634	7.8%
11		11617	7.2%
12		11865	7.3%
Sysmiss		784	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

yearbirth: Year of birth

Information	[Type= discrete] [Format=numeric] [Range= 1983-1992] [Missing=*]
Statistics [NW/ W]	[Valid=161568 /-] [Invalid=737 /-] [Mean=1988.176 /-] [StdDev=1.677 /-]
Literal question	MQ4. What year were you born?

Value	Label	Cases	Percentage
1983		1	0.0%
1984		1	0.0%
1985		2713	1.7%
1986		38831	24.0%
1987		12219	7.6%
1988		42677	26.4%
1989		12974	8.0%
1990		42962	26.6%
1991		9187	5.7%
1992		3	0.0%
Sysmiss		737	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

age: Age

Information	[Type= continuous] [Format=numeric] [Range= 9.83333333333348-17.25] [Missing=*]
Statistics [NW/ W]	[Valid=160976 /-] [Invalid=1329 /-] [Mean=13.541 /-] [StdDev=1.663 /-]
Literal question	Age

agecat: Age category

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=160976 /-] [Invalid=1329 /-]
Literal question	Age category

Value	Label	Cases	Percentage
1	11	54857	34.1%
2	13	55539	34.5%
3	15	50580	31.4%
Sysmiss		1329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

breakfastwd: Breakfast weekdays

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=146547 /-] [Invalid=15758 /-]

File : HBSC-2001, OpenAccess, ed. 1.0

breakfastwd: Breakfast weekdays

Literal question MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)?
Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	I never have breakfast during weekdays	22914	15.6%
2	One day	6114	4.2%
3	Two days	6426	4.4%
4	Three days	8373	5.7%
5	Four days	7452	5.1%
6	Five days	95268	65.0%
Sysmiss		15758	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

breakfastwe: Breakfast weekend

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=146074 /-] [Invalid=16231 /-]

Literal question MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)?
Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	I never have breakfast during weekend	8777	6.0%
2	I usually have breakfast on only one day of the weekend	17908	12.3%
3	I usually have breakfast on both weekend days	119389	81.7%
Sysmiss		16231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

lunchwd: Lunch weekdays

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=151981 /-] [Invalid=10324 /-]

Value	Label	Cases	Percentage
1	I never have lunch during weekdays	6883	4.5%
2	One day	4023	2.6%
3	Two days	4513	3.0%
4	Three days	7805	5.1%
5	Four days	9509	6.3%
6	Five days	119248	78.5%
Sysmiss		10324	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

lunchwe: Lunch weekends

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=151261 /-] [Invalid=11044 /-]

Value	Label	Cases	Percentage
1	I never have lunch during the weekend	9672	6.4%
2	I usually have lunch on only one day of the weekend	20427	13.5%
3	I usually have lunch on both weekend days	121162	80.1%
Sysmiss		11044	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HBSC-2001, OpenAccess, ed. 1.0

supperwd: Supper weekdays

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=152040 /-] [Invalid=10265 /-]

Value	Label	Cases	Percentage
1	I never have an evening meal during weekdays	5481	3.6%
2	One day	3549	2.3%
3	Two days	4320	2.8%
4	Three days	9035	5.9%
5	Four days	10759	7.1%
6	Five days	118896	78.2%
Systemmiss		10265	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

supperwe: Supper weekend

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=151363 /-] [Invalid=10942 /-]

Value	Label	Cases	Percentage
1	I never have an evening meal during the weekend	5757	3.8%
2	I usually have evening meal on only one day of the weekend	19812	13.1%
3	I usually have an evening meal on both weekend days	125794	83.1%
Systemmiss		10942	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

fruits: Eat fruits

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=161454 /-] [Invalid=851 /-]

Literal question MQ6. How many times a week do you usually eat or drink ?
A. Fruit

Post-question Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	5112	3.2%
2	Less than once a week	13437	8.3%
3	Once a week	19094	11.8%
4	2-4 days a week	46640	28.9%
5	5-6 days a week	23016	14.3%
6	Once a day, every day	26335	16.3%
7	Every day, more than once	27820	17.2%
Systemmiss		851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

vegetables: Eat vegetables

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=161298 /-] [Invalid=1007 /-]

Literal question MQ6. How many times a week do you usually eat or drink ?
B. Vegetables

Post-question Please tick one box for each line

File : HBSC-2001, OpenAccess, ed. 1.0

vegetables: Eat vegetables

Value	Label	Cases	Percentage
1	Never	8683	5.4%
2	Less than once a week	11775	7.3%
3	Once a week	19392	12.0%
4	2-4 days a week	41672	25.8%
5	5-6 days a week	29687	18.4%
6	Once a day, every day	29590	18.3%
7	Every day, more than once	20499	12.7%
Sysmiss		1007	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sweets: Eat sweets

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=161303 /-] [Invalid=1002 /-]
Literal question	MQ6. How many times a week do you usually eat or drink ? C. Sweets (candy or chocolate)
Post-question	Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	5526	3.4%
2	Less than once a week	16117	10.0%
3	Once a week	24685	15.3%
4	2-4 days a week	44001	27.3%
5	5-6 days a week	24427	15.1%
6	Once a day, every day	21863	13.6%
7	Every day, more than once	24684	15.3%
Sysmiss		1002	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

softdrinks: Drink coke/soft drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=161369 /-] [Invalid=936 /-]
Literal question	MQ6. How many times a week do you usually eat or drink ? D. Coke or other soft drinks that contain sugar
Post-question	Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	10405	6.4%
2	Less than once a week	25140	15.6%
3	Once a week	25181	15.6%
4	2-4 days a week	35078	21.7%
5	5-6 days a week	19683	12.2%
6	Once a day, every day	16725	10.4%
7	Every day, more than once	29157	18.1%
Sysmiss		936	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HBSC-2001, OpenAccess, ed. 1.0

ondiet: On a diet

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=157035 /-] [Invalid=5270 /-]

Literal question MQ7. At present are you on a diet or doing something else to lose weight?

Value	Label	Cases	Percentage
1	No, my weight is fine	89277	56.9%
2	No, but I should lose some weight	33066	21.1%
3	No, because I need to put on weight	14831	9.4%
4	Yes	19861	12.6%
Systemmiss		5270	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

thinkbody: Think about body

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=159820 /-] [Invalid=2485 /-]

Literal question MQ8. Do you think your body is.....?

Value	Label	Cases	Percentage
1	Much too thin	3641	2.3%
2	A bit too thin	19536	12.2%
3	About the right size	90470	56.6%
4	A bit too fat	40306	25.2%
5	Much too fat	5867	3.7%
Systemmiss		2485	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bodyweight: Weight

Information [Type= continuous] [Format=numeric] [Range= 20-115] [Missing=*]

Statistics [NW/ W] [Valid=147707 /-] [Invalid=14598 /-] [Mean=49.793 /-] [StdDev=12.574 /-]

Literal question MQ9. How much do you weigh without clothes?

bodyheight: Height

Information [Type= continuous] [Format=numeric] [Range= 120-199] [Missing=*]

Statistics [NW/ W] [Valid=144833 /-] [Invalid=17472 /-] [Mean=160.693 /-] [StdDev=11.971 /-]

Literal question MQ10. How tall are you without shoes?

mbmi: Body Mass Index

Information [Type= continuous] [Format=numeric] [Range= 11.0070068995141-44.8888888888889] [Missing=* /0]

Statistics [NW/ W] [Valid=138335 /-] [Invalid=23970 /-] [Mean=19.184 /-] [StdDev=3.275 /-]

Value	Label	Cases	Percentage
0	outside overall range	173	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

toothbr: Tooth brushing

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=158426 /-] [Invalid=3879 /-]

Literal question MQ11. How often do you brush your teeth?

File : HBSC-2001, OpenAccess, ed. 1.0

toothbr: Tooth brushing

Value	Label	Cases	Percentage
1	More than once a day	98454	62.1%
2	Once a day	47849	30.2%
3	At least once a week but not daily	8315	5.2%
4	Less than once a week	2474	1.6%
5	Never	1334	0.8%
Sysmiss		3879	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

physact60: Physically active last 7 days

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=154555 /-] [Invalid=7750 /-]
Literal question	<p>MQ12.</p> <p>Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, school activities, playing with friends, or walking to school. Some examples of physical activity are running, brisk walking, rollerblading, biking, dancing, skateboarding, swimming, soccer, basketball, football, & surfing. [COUNTRY SPECIFIC EXAMPLES CAN BE GIVEN]</p> <p>For this next question, add up all the time you spent in physical activity each day.</p> <p>Over the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</p>

Value	Label	Cases	Percentage
0	0 days	7505	4.9%
1	1 day	14360	9.3%
2	2 days	24277	15.7%
3	3 days	27314	17.7%
4	4 days	22567	14.6%
5	5 days	19788	12.8%
6	6 days	12311	8.0%
7	7 days	26433	17.1%
Sysmiss		7750	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

physactweek: Physically active usual week

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=154636 /-] [Invalid=7669 /-]		
Value	Label	Cases	Percentage
0	0 days	5928	3.8%
1	1 day	14431	9.3%
2	2 days	26043	16.8%
3	3 days	28047	18.1%
4	4 days	23365	15.1%
5	5 days	20557	13.3%
6	6 days	13673	8.8%
7	7 days	22592	14.6%
Sysmiss		7669	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HBSC-2001, OpenAccess, ed. 1.0

physactavg: Average weekly physical activity

Information [Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=153038 /-] [Invalid=9267 /-] [Mean=3.82 /-] [StdDev=1.939 /-]

tvwd: Watch tv, weekdays

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=156211 /-] [Invalid=6094 /-]

Literal question MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time?
A. Weekdays

Value	Label	Cases	Percentage
1	None at all	5635	3.6%
2	About half an hour a day	13695	8.8%
3	About 1 hour a day	26561	17.0%
4	About 2 hours a day	37782	24.2%
5	About 3 hours a day	31057	19.9%
6	About 4 hours a day	19222	12.3%
7	About 5 hours a day	10875	7.0%
8	About 6 hours a day	4370	2.8%
9	About 7 or more hours a day	7014	4.5%
Sysmiss		6094	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

tvwe: Watch tv, weekend

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=155173 /-] [Invalid=7132 /-]

Literal question MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time?
B. Weekends

Value	Label	Cases	Percentage
1	None at all	4621	3.0%
2	About half an hour a day	7736	5.0%
3	About 1 hour a day	15445	10.0%
4	About 2 hours a day	27151	17.5%
5	About 3 hours a day	29482	19.0%
6	About 4 hours a day	25796	16.6%
7	About 5 hours a day	18732	12.1%
8	About 6 hours a day	11050	7.1%
9	About 7 or more hours a day	15160	9.8%
Sysmiss		7132	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hworkwd: Time homework, weekdays

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=151666 /-] [Invalid=10639 /-]

Value	Label	Cases	Percentage
1	None at all	7151	4.7%
2	About half an hour a day	33342	22.0%

File : HBSC-2001, OpenAccess, ed. 1.0

hworkwd: Time homework, weekdays

Value	Label	Cases	Percentage
3	About 1 hour a day	46492	30.7%
4	About 2 hours a day	35603	23.5%
5	About 3 hours a day	16451	10.8%
6	About 4 hours a day	7015	4.6%
7	About 5 hours a day	3160	2.1%
8	About 6 hours a day	1211	0.8%
9	About 7 or more hours a day	1241	0.8%
Sysmiss		10639	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hworkwe: Time homework, weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/10]
Statistics [NW/ W]	[Valid=150661 /-] [Invalid=11644 /-]

Value	Label	Cases	Percentage
1	None at all	27627	18.3%
2	About half an hour a day	32195	21.4%
3	About 1 hour a day	34527	22.9%
4	About 2 hours a day	26892	17.8%
5	About 3 hours a day	14933	9.9%
6	About 4 hours a day	7650	5.1%
7	About 5 hours a day	3614	2.4%
8	About 6 hours a day	1646	1.1%
9	About 7 or more hours a day	1577	1.0%
10		4	
Sysmiss		11640	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

compusewd: Computer use, weekdays

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=146867 /-] [Invalid=15438 /-]

Literal question MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time?
A. Weekdays

Post-question Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	None at all	48415	33.0%
2	About half an hour a day	31142	21.2%
3	About 1 hour a day	28143	19.2%
4	About 2 hours a day	18693	12.7%
5	About 3 hours a day	9444	6.4%
6	About 4 hours a day	4885	3.3%
7	About 5 hours a day	2523	1.7%
8	About 6 hours a day	1120	0.8%
9	About 7 or more hours a day	2502	1.7%

File : HBSC-2001, OpenAccess, ed. 1.0

compusewd: Computer use, weekdays

Value	Label	Cases	Percentage
Sysmiss		15438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

compusewe: Computer use, weekends

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/34]
Statistics [NW/ W]	[Valid=145962 /-] [Invalid=16343 /-]
Literal question	MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time? B. Weekends
Post-question	Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	None at all	44703	30.6%
2	About half an hour a day	22434	15.4%
3	About 1 hour a day	23035	15.8%
4	About 2 hours a day	20144	13.8%
5	About 3 hours a day	13060	8.9%
6	About 4 hours a day	8677	5.9%
7	About 5 hours a day	5389	3.7%
8	About 6 hours a day	3026	2.1%
9	About 7 or more hours a day	5494	3.8%
34		1	
Sysmiss		16342	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

triedsmoke: Tried smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=161145 /-] [Invalid=1160 /-]
Literal question	MQ18. Have you ever smoked tobacco? (At least one cigarette, cigar or pipe)

Value	Label	Cases	Percentage
1	Yes	61705	38.3%
2	No	99440	61.7%
Sysmiss		1160	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

smoking: Smoking

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=161284 /-] [Invalid=1021 /-]
Literal question	MQ19. How often do you smoke tobacco at present?

Value	Label	Cases	Percentage
1	Every day	11857	7.4%
2	At least once a week, but not every day	5608	3.5%
3	Less than once a week	8156	5.1%
4	I do not smoke	135663	84.1%
Sysmiss		1021	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HBSC-2001, OpenAccess, ed. 1.0

beer: Beer

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=158483 /-] [Invalid=3822 /-]

Literal question MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.
A. Beer

Post-question Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1903	1.2%
2	Every week	12125	7.7%
3	Every month	11136	7.0%
4	Rarely	39895	25.2%
5	Never	93424	58.9%
Sysmiss		3822	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

wine: Wine

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=157543 /-] [Invalid=4762 /-]

Literal question MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.
B. Wine

Post-question Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1185	0.8%
2	Every week	5314	3.4%
3	Every month	9445	6.0%
4	Rarely	43512	27.6%
5	Never	98087	62.3%
Sysmiss		4762	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

spirits: Spirits

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=157486 /-] [Invalid=4819 /-]

Literal question MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.
C. Spirits

Post-question Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1109	0.7%
2	Every week	6944	4.4%
3	Every month	9470	6.0%
4	Rarely	26622	16.9%
5	Never	113341	72.0%
Sysmiss		4819	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HBSC-2001, OpenAccess, ed. 1.0

alcofreq: Drink alcohol

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=159028 /-] [Invalid=3277 /-]

Value	Label	Cases	Percentage
1	Never	103816	65.3%
2	Less than once a week	31684	19.9%
3	Once a week	13755	8.6%
4	2-4 days a week	5583	3.5%
5	5-6 days a week	1335	0.8%
6	Once a day, every day	955	0.6%
7	Every day, more than once	1900	1.2%
Sysmiss		3277	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

drunk: Been drunk

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=160799 /-] [Invalid=1506 /-]

Literal question MQ21. Have you ever had so much alcohol that you were really drunk?

Value	Label	Cases	Percentage
1	No, never	114818	71.4%
2	Yes, once	19850	12.3%
3	Yes, 2-3 times	13696	8.5%
4	Yes, 4-10 times	6188	3.8%
5	Yes, more than 10 times	6247	3.9%
Sysmiss		1506	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

agealco: Age of first alcohol drink

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=149269 /-] [Invalid=13036 /-]

Literal question MQ22. At what age did you first do the following things?
A. Drink alcohol (more than a small amount)

Value	Label	Cases	Percentage
1	Never	70751	47.4%
2	11 years or younger	33767	22.6%
3	12 years	13925	9.3%
4	13 years	15091	10.1%
5	14 years	10586	7.1%
6	15 years	4671	3.1%
7	16 years or older	478	0.3%
Sysmiss		13036	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

agedrunk: Age of first drunk

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=149217 /-] [Invalid=13088 /-]

File : HBSC-2001, OpenAccess, ed. 1.0

agedrunk: Age of first drunk

Literal question MQ22. At what age did you first do the following things?
B. Get drunk

Value	Label	Cases	Percentage
1	Never	106765	71.6%
2	11 years or younger	8092	5.4%
3	12 years	6165	4.1%
4	13 years	10249	6.9%
5	14 years	9949	6.7%
6	15 years	7206	4.8%
7	16 years or older	791	0.5%
Sysmiss		13088	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

agecigarette: Age of first cigarette

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=149343 /-] [Invalid=12962 /-]

Literal question MQ22. At what age did you first do the following things?
C. Smoke a cigarette (more than a puff)

Value	Label	Cases	Percentage
1	Never	95255	63.8%
2	11 years or younger	21814	14.6%
3	12 years	10578	7.1%
4	13 years	10849	7.3%
5	14 years	7045	4.7%
6	15 years	3419	2.3%
7	16 years or older	383	0.3%
Sysmiss		12962	













Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# cannabis1tm: Cannabis life time			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*/0]		
Statistics [NW/ W]	[Valid=67160 /-] [Invalid=95145 /-]		
Literal question	MQ23. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES]? A. In your life		
Post-question	Please tick one box for each line.		
Value	Label	Cases	Percentage
1	Never	55618	82.8%
2	Once or twice	4586	6.8%
3	3 to 5 times	1730	2.6%
4	6 to 9 times	1134	1.7%
5	10 to 19 times	1156	1.7%
6	20 to 39 times	831	1.2%
7	40 times or more	2105	3.1%
0	INAP	71861	
Sysmiss		23284	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cannabis12m: Cannabis last 12 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*/0]		
Statistics [NW/ W]	[Valid=65954 /-] [Invalid=96351 /-]		
Literal question	MQ23. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES]? B. In the last 12 months		
Post-question	Please tick one box for each line.		
Value	Label	Cases	Percentage
1	Never	56467	85.6%
2	Once or twice	3967	6.0%
3	3 to 5 times	1520	2.3%
4	6 to 9 times	999	1.5%
5	10 to 19 times	922	1.4%
6	20 to 39 times	662	1.0%
7	40 times or more	1417	2.1%
0	INAP	71861	
Sysmiss		24490	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hadsex: Sexual intercourse			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=48070 /-] [Invalid=114235 /-]		
Literal question	MQ24. Have you ever had sexual intercourse (sometimes this is called "making love," "having sex," or "going all the way" or other appropriate colloquial terms)?		
Value	Label	Cases	Percentage
1	Yes	10537	21.9%
2	No	37533	78.1%
0	INAP	69167	
Sysmiss		45068	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# agesex: Age of first sexual intercourse			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*/0]		
Statistics [NW/ W]	[Valid=44117 /-] [Invalid=118188 /-]		
Literal question	MQ25. Age of first sexual intercourse		
Value	Label	Cases	Percentage
1	I have never had sexual intercourse	33891	76.8%
2	11 years old or younger	609	1.4%
3	12 years old	623	1.4%
4	13 years old	1460	3.3%
5	14 years old	3228	7.3%
6	15 years old	3713	8.4%
7	16 years old	593	1.3%
0	INAP	68548	
Sysmiss		49640	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptnever: Contraceptive-Never			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=35117 /-] [Invalid=127188 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? A. I have never had sexual intercourse		
Value	Label	Cases	Percentage
1	Yes	28460	81.0%
2	No	6657	19.0%
0	INAP	61102	
Sysmiss		66086	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptnomet: Contraceptive-No method			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=18348 /-] [Invalid=143957 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? B. No method was used to prevent pregnancy		
Value	Label	Cases	Percentage
1	Yes	2355	12.8%
2	No	15993	87.2%
0	INAP	61102	
Sysmiss		82855	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptpill: Contraceptive-birth control pills			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=8924 /-] [Invalid=153381 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? C. Birth control pills		
Value	Label	Cases	Percentage
1	Yes	2270	25.4%
2	No	6654	74.6%

# contraceptpill: Contraceptive-birth control pills			
Value	Label	Cases	Percentage
0	INAP	62362	
Sysmiss		91019	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptcondom: Contraceptive-condoms			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=10565 /-] [Invalid=151740 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? D. Condoms		
Value	Label	Cases	Percentage
1	Yes	6145	58.2%
2	No	4420	41.8%
0	INAP	65196	
Sysmiss		86544	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptwithdraw: Contraceptive-withdrawal			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=8512 /-] [Invalid=153793 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? E. Withdrawal		
Value	Label	Cases	Percentage
1	Yes	1159	13.6%
2	No	7353	86.4%
0	INAP	65196	
Sysmiss		88597	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptother: Contraceptive-other method - 15-year-olds			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=8458 /-] [Invalid=153847 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? G. Some other method		
Value	Label	Cases	Percentage
1	Yes	790	9.3%
2	No	7668	90.7%
0	INAP	65196	
Sysmiss		88651	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptnotsure: Contraceptive-not sure			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=8744 /-] [Invalid=153561 /-]		
Literal question	MQ26. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? G. Not sure		
Value	Label	Cases	Percentage
1	Yes	506	5.8%

# contraceptnotsure: Contraceptive-not sure			
Value	Label	Cases	Percentage
2	No	8238	94.2%
0	INAP	65196	
Sysmiss		88365	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condomuse: Condom use, last intercourse			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=* /0]		
Statistics [NW/ W]	[Valid=42341 /-] [Invalid=119964 /-]		
Literal question	MQ27. The last time you had sexual intercourse, did you or your partner use a condom?		
Value	Label	Cases	Percentage
1	I have never had sexual intercourse	32619	77.0%
2	Yes	6936	16.4%
3	No	2786	6.6%
0	INAP	65196	
Sysmiss		54768	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# injured12m: Times injured			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=160686 /-] [Invalid=1619 /-]		
Literal question	MQ28. Many young people get hurt or injured from activities such as playing sports or fighting with others at different places such as the street or home. Injuries can include being poisoned or burned. Injuries do not include illnesses such as Measles or the Flu. The following questions are about injuries you may have had during the past 12 months.		
Value	Label	Cases	Percentage
1	I was not injured in the past 12 months	87642	54.5%
2	1 time	39738	24.7%
3	2 times	17328	10.8%
4	3 times	7636	4.8%
5	4 times or more	8342	5.2%
Sysmiss		1619	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fight12m: Times physical fight			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=161082 /-] [Invalid=1223 /-]		
Literal question	MQ29. During the past 12 months, how many times were you in a physical fight?		
Value	Label	Cases	Percentage
1	I have not been in a physical fight	98239	61.0%
2	1 time	26773	16.6%
3	2 times	13773	8.6%
4	3 times	7085	4.4%
5	4 times or more	15212	9.4%
Sysmiss		1223	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# beenbullied: Bullied			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=* /999]		

# beenbullied: Bullied			
Statistics [NW/ W]		[Valid=158004 /-] [Invalid=4301 /-]	
Literal question		MQ30. Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty and unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when he or she is deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way. How often have you been bullied at school in the past couple of months?	
Value	Label	Cases	Percentage
1	I haven` t been bullied at school the last couple of months	105035	 66.5%
2	It has only happened once or twice	32830	 20.8%
3	2 or 3 times a month	7303	 4.6%
4	About once a week	4969	 3.1%
5	Several times a week	7867	 5.0%
999		2857	
Sysmiss		1444	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# bulliedothers: Bullied others			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*/0/999]	
Statistics [NW/ W]		[Valid=157722 /-] [Invalid=4583 /-]	
Literal question		MQ31. How often have you taken part in bullying another student(s) at school in the past couple of months?	
Value	Label	Cases	Percentage
1	I haven` t bullied another student(s) at school in the past c	103339	 65.5%
2	It has only happened once or twice	36842	 23.4%
3	2 or 3 times a month	7430	 4.7%
4	About once a week	4458	 2.8%
5	Several times a week	5653	 3.6%
0		31	
999		2857	
Sysmiss		1695	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# motherhome1: Mother in main home			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]	
Statistics [NW/ W]		[Valid=159715 /-] [Invalid=2590 /-]	
Literal question		MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. A. Mother	
Value	Label	Cases	Percentage
1	Yes	153810	 96.3%
2	No	5905	 3.7%
0		339	
Sysmiss		2251	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fatherhome1: Father in main home			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]	
Statistics [NW/ W]		[Valid=154290 /-] [Invalid=8015 /-]	

# fatherhome1: Father in main home			
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. B. Father		
Value	Label	Cases	Percentage
1	Yes	128933	83.6%
2	No	25357	16.4%
0		1872	
Sysmiss		6143	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stepmohome1: Stepmother in main home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=124628 /-] [Invalid=37677 /-]		
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. C. Stepmother		
Value	Label	Cases	Percentage
1	Yes	2167	1.7%
2	No	122461	98.3%
0		8546	
Sysmiss		29131	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stepfahome1: Stepfather in main home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=126612 /-] [Invalid=35693 /-]		
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. D. Stepfather		
Value	Label	Cases	Percentage
1	Yes	11187	8.8%
2	No	115425	91.2%
0		7925	
Sysmiss		27768	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# grandmohome1: Grandmother in main home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=129724 /-] [Invalid=32581 /-]		
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. E. Grandmother		
Value	Label	Cases	Percentage
1	Yes	20380	15.7%
2	No	109344	84.3%
0		8448	

# grandmohome1: Grandmother in main home			
Value	Label	Cases	Percentage
Sysmiss		24133	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# grandfahome1: Grandfather in main home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=127699 /-] [Invalid=34606 /-]		
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. F. Grandfather		
Value	Label	Cases	Percentage
1	Yes	11591	9.1%
2	No	116108	90.9%
0		8523	
Sysmiss		26083	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fosterhome1: Living in foster/child home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=124413 /-] [Invalid=37892 /-]		
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. G. Living in Foster home or children's home		
Value	Label	Cases	Percentage
1	Yes	1104	0.9%
2	No	123309	99.1%
0		8617	
Sysmiss		29275	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# elsehome1: Living with someone else or somewhere else			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/0]		
Statistics [NW/ W]	[Valid=124859 /-] [Invalid=37446 /-]		
Literal question	MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. H. Someone or somewhere els: pleas writ it down		
Value	Label	Cases	Percentage
1	Yes	6044	4.8%
2	No	118815	95.2%
0		8346	
Sysmiss		29100	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# brothershome1: No. brothers main home			
Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=145024 /-] [Invalid=17281 /-] [Mean=0.875 /-] [StdDev=0.959 /-]		

brothershome1: No. brothers main home

Literal question MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there.

Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please write in the number or write 0 (zero) if there are none. Please do not count yourself.

I. How many brothers?

Value	Label	Cases	Percentage
0		55756	38.4%
1		63471	43.8%
2		18609	12.8%
3		4782	3.3%
4		1433	1.0%
5		488	0.3%
6		186	0.1%
7		110	0.1%
8		44	0.0%
9		98	0.1%
10		29	0.0%
11		6	0.0%
12		8	0.0%
13		2	0.0%
14		2	0.0%
Sysmiss		17281	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sistershome1: No. sisters main home

Information [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]

Statistics [NW/ W] [Valid=143643 /-] [Invalid=18662 /-] [Mean=0.845 /-] [StdDev=0.962 /-]

Literal question MQ32. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there.

Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please write in the number or write 0 (zero) if there are none. Please do not count yourself.

J. How many sisters?

Value	Label	Cases	Percentage
0		58222	40.5%
1		60922	42.4%
2		17731	12.3%
3		4353	3.0%
4		1404	1.0%
5		480	0.3%
6		226	0.2%
7		126	0.1%
8		47	0.0%
9		94	0.1%
10		20	0.0%
11		7	0.0%
12		5	0.0%

# sistershome1: No. sisters main home			
Value	Label	Cases	Percentage
13		1	0.0%
15		2	0.0%
16		3	0.0%
Sysmiss		18662	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# motherhome2: Mother in second home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=100973 /-] [Invalid=61332 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Mother		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	7204	7.1%
2	No	93769	92.9%
0		8226	
Sysmiss		53106	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fatherhome2: Father in second home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=103265 /-] [Invalid=59040 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Father		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	16542	16.0%
2	No	86723	84.0%
0		7497	
Sysmiss		51543	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stepmohome2: Stepmother in second home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=100916 /-] [Invalid=61389 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? C. Stepmother		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	6609	6.5%
2	No	94307	93.5%
0		8163	
Sysmiss		53226	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stepfahome2: Stepfather in second home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		

# stepfahome2: Stepfather in second home			
Statistics [NW/ W]	[Valid=99733 /-] [Invalid=62572 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? D. Stepfather		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	1830	1.8%
2	No	97903	98.2%
0		8574	
Sysmiss		53998	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# grandmohome2: Grandmother in second home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*0]		
Statistics [NW/ W]	[Valid=101063 /-] [Invalid=61242 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? E. Grandmother		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	7639	7.6%
2	No	93424	92.4%
0		8491	
Sysmiss		52751	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# grandfahome2: Grandfather in second home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*0]		
Statistics [NW/ W]	[Valid=100598 /-] [Invalid=61707 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? F: Grandfather		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	5437	5.4%
2	No	95161	94.6%
0		8533	
Sysmiss		53174	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fosterhome2: Living in foster/child home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*0]		
Statistics [NW/ W]	[Valid=99438 /-] [Invalid=62867 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? G. Living in foster home/children's home		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	338	0.3%
2	No	99100	99.7%
0		8664	

# fosterhome2: Living in foster/child home			
Value	Label	Cases	Percentage
Sysmiss		54203	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# elsehome2: Living with someone else or somewhere else			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=* /0]		
Statistics [NW/ W]	[Valid=99654 /-] [Invalid=62651 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? H. Somone or somewhere els: pleas writ it down ...		
Post-question	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	1613	1.6%
2	No	98041	98.4%
0		8591	
Sysmiss		54060	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# brothershome2: No. brothers second home			
Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=44278 /-] [Invalid=118027 /-] [Mean=0.361 /-] [StdDev=0.811 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced? Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please do not include those you already listed in the question above or yourself. Write in the number or write 0 (zero) if there are none. I. How many brothers?		
Value	Label	Cases	Percentage
0		33715	76.1%
1		7125	16.1%
2		2342	5.3%
3		666	1.5%
4		250	0.6%
5		83	0.2%
6		30	0.1%
7		24	0.1%
8		15	0.0%
9		14	0.0%
10		5	0.0%
11		2	0.0%
12		3	0.0%
13		2	0.0%
14		1	0.0%
16		1	0.0%
Sysmiss		118027	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sistershome2: No. sisters second home			
Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=44013 /-] [Invalid=118292 /-] [Mean=0.347 /-] [StdDev=0.809 /-]		
Literal question	MQ33. Do you have another home or another family, such as the case when your parents are separated or divorced?		

sistershome2: No. sisters second home

Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please do not include those you already listed in the question above or yourself. Write in the number or write 0 (zero) if there are none.
J. How many sisters?

Value	Label	Cases	Percentage
0		33857	76.9%
1		6975	15.8%
2		2186	5.0%
3		575	1.3%
4		217	0.5%
5		70	0.2%
6		45	0.1%
7		37	0.1%
8		23	0.1%
9		12	0.0%
10		8	0.0%
11		2	0.0%
12		3	0.0%
13		1	0.0%
15		1	0.0%
16		1	0.0%
Sysmiss		118292	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

timehome1: Time in main home

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=* /4/5]

Statistics [NW/ W] [Valid=154353 /-] [Invalid=7952 /-]

Value	Label	Cases	Percentage
1	All the time	122354	79.3%
2	Most of the time	24131	15.6%
3	Half the time	7868	5.1%
4		7	
5		1	
Sysmiss		7944	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.
















timehome2: Time in second home

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=25292 /-] [Invalid=137013 /-]

Value	Label	Cases	Percentage
1	Half the time	4669	18.5%
2	Regularly but less than half the time	3293	13.0%
3	At weekends	7211	28.5%
4	Sometimes	6032	23.8%
5	Hardly ever	4087	16.2%
Sysmiss		137013	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.
















# talkfather: Talk to father			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=157265 /-] [Invalid=5040 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? A. Father		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	36246	 23.0%
2	Easy	57322	 36.4%
3	Difficult	36087	 22.9%
4	Very difficult	16148	 10.3%
5	Don't have or see this person	11462	 7.3%
Sysmiss		5040	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talkstepfa: Talk to stepfather			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=122961 /-] [Invalid=39344 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? B. Stepfather		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	3997	 3.3%
2	Easy	7254	 5.9%
3	Difficult	6000	 4.9%
4	very difficult	5938	 4.8%
5	Don't have or see this person	99772	 81.1%
Sysmiss		39344	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talkmother: Talk to mother			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=157650 /-] [Invalid=4655 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? C. Mother		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	68298	 43.3%
2	Easy	59294	 37.6%
3	Difficult	19970	 12.7%
4	very difficult	6634	 4.2%
5	Don't have or see this person	3454	 2.2%
Sysmiss		4655	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talkstepmo: Talk to stepmother			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=120449 /-] [Invalid=41856 /-]		

# talkstepmo: Talk to stepmother			
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? D. Stepmother		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	3074	2.6%
2	Easy	5080	4.2%
3	Difficult	4409	3.7%
4	very difficult	4476	3.7%
5	Don't have or see this person	103410	85.9%
Sysmiss		41856	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talkbrother: Talk to elder brother			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=135347 /-] [Invalid=26958 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? E. Elder brother(s)		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	18517	13.7%
2	Easy	21906	16.2%
3	Difficult	14087	10.4%
4	very difficult	9765	7.2%
5	Don't have or see this person	71072	52.5%
Sysmiss		26958	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talksister: Talk to elder sister			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=135051 /-] [Invalid=27254 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? F. Elder sister(s)		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	23941	17.7%
2	Easy	23265	17.2%
3	Difficult	10081	7.5%
4	very difficult	6295	4.7%
5	Don't have or see this person	71469	52.9%
Sysmiss		27254	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talkbestfriend: Talk to best friend			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=154145 /-] [Invalid=8160 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? G. Best friend		

# talkbestfriend: Talk to best friend			
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	76508	49.6%
2	Easy	55637	36.1%
3	Difficult	12827	8.3%
4	very difficult	4574	3.0%
5	Don` t have or see this person	4599	3.0%
Sysmiss		8160	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talksamesex: Talk to friend same sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=153392 /-] [Invalid=8913 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? H. Friend of the same sex		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	49880	32.5%
2	Easy	70056	45.7%
3	Difficult	20962	13.7%
4	very difficult	7216	4.7%
5	Don` t have or see this person	5278	3.4%
Sysmiss		8913	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# talkopposex: Talk to friend opposite sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=151672 /-] [Invalid=10633 /-]		
Literal question	MQ34. How easy is it for you to talk to the following persons about things that really bother you? I. Friend of oppsite sex?		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	26767	17.6%
2	Easy	51199	33.8%
3	Difficult	39376	26.0%
4	very difficult	20432	13.5%
5	Don` t have or see this person	13898	9.2%
Sysmiss		10633	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# malefriends: Close male friends			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=158793 /-] [Invalid=3512 /-]		
Literal question	MQ35. At present, how many close male and female friends do you have? A. Male friends		
Value	Label	Cases	Percentage
1	None	16181	10.2%

# malefriends: Close male friends			
Value	Label	Cases	Percentage
2	One	17274	10.9%
3	Two	20196	12.7%
4	Three or more	105142	66.2%
Sysmiss		3512	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# femalefriends: Close female friends			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=157572 /-] [Invalid=4733 /-]		
Literal question	MQ35. At present, how many close male and female friends do you have? B. Female friends		
Value	Label	Cases	Percentage
1	None	15180	9.6%
2	One	17666	11.2%
3	Two	20421	13.0%
4	Three or more	104305	66.2%
Sysmiss		4733	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# friendsafternoon: After school with friends			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=159709 /-] [Invalid=2596 /-]		
Literal question	MQ36. How many days a week do you usually spend time with friends right after school?		
Value	Label	Cases	Percentage
0	0 days	17590	11.0%
1	1 day	21537	13.5%
2	2 days	27724	17.4%
3	3 days	30067	18.8%
4	4 days	17121	10.7%
5	5 days	36951	23.1%
6	6 days(to add)	8719	5.5%
Sysmiss		2596	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# friendseveing: Evenings with friends			
Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=157447 /-] [Invalid=4858 /-]		
Literal question	MQ37. How many evenings per week do you usually spend out with your friends?		
Value	Label	Cases	Percentage
0	0 days	40477	25.7%
1	1 day	26997	17.1%
2	2 days	27935	17.7%
3	3 days	20597	13.1%
4	4 days	11984	7.6%
5	5 days	10038	6.4%
6	6 days	6192	3.9%
7	7 days (to add)	13227	8.4%
Sysmiss		4858	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# emedia6m: E-communication with friends			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=157085 /-] [Invalid=5220 /-]		
Literal question	MQ38. How often do you talk to your friend(s) on the phone or send them text messages or have contact through the internet?		
Value	Label	Cases	Percentage
1	Rarely or never	32849	20.9%
2	1 or 2 days a week	31522	20.1%
3	3 or 4 days a week	28228	18.0%
4	5 or 6 days a week	18377	11.7%
5	Every day	46109	29.4%
Sysmiss		5220	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# headache: Headache			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=160258 /-] [Invalid=2047 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...? A. Headache		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	9377	5.9%
2	More than once a week	17801	11.1%
3	About every week	20176	12.6%
4	About every month	35066	21.9%
5	Rarely or never	77838	48.6%
Sysmiss		2047	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stomachache: Stomach-ache			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159985 /-] [Invalid=2320 /-]		

# stomachache: Stomach-ache			
Literal question	MQ39. In the last 6 months: how often have you had the following...? B. Stomach-ache		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	5208	 3.3%
2	More than once a week	11458	 7.2%
3	About every week	14624	 9.1%
4	About every month	45023	 28.1%
5	Rarely or never	83672	 52.3%
Sysmiss		2320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# backache: Back ache			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159631 /-] [Invalid=2674 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...? C. Back ache		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	7783	 4.9%
2	More than once a week	9417	 5.9%
3	About every week	12595	 7.9%
4	About every month	26518	 16.6%
5	Rarely or never	103318	 64.7%
Sysmiss		2674	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# fellow: Feeling low			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=* /8]		
Statistics [NW/ W]	[Valid=159402 /-] [Invalid=2903 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...? D. Felling low		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	9983	 6.3%
2	More than once a week	16138	 10.1%
3	About every week	20027	 12.6%
4	About every month	35854	 22.5%
5	Rarely or never	77400	 48.6%
8		1	
Sysmiss		2902	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# irritable: Irritability or bad temper			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159630 /-] [Invalid=2675 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...?		

# irritable: Irritability or bad temper			
	D. Irritability or bad temper		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	12900	8.1%
2	More than once a week	23248	14.6%
3	About every week	30725	19.2%
4	About every month	42372	26.5%
5	Rarely or never	50385	31.6%
Sysmiss		2675	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# nervous: Feeling nervous			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159615 /-] [Invalid=2690 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...? E. Feeling nervous		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	14717	9.2%
2	More than once a week	20655	12.9%
3	About every week	26379	16.5%
4	About every month	37049	23.2%
5	Rarely or never	60815	38.1%
Sysmiss		2690	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sleepdifficulty: Difficulties in sleeping			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159555 /-] [Invalid=2750 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...? F. Difficulties in getting to sleep		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	14051	8.8%
2	More than once a week	14380	9.0%
3	About every week	16064	10.1%
4	About every month	24130	15.1%
5	Rarely or never	90930	57.0%
Sysmiss		2750	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# dizzy: Feeling dizzy			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159480 /-] [Invalid=2825 /-]		
Literal question	MQ39. In the last 6 months: how often have you had the following...? G. Feeling dizzy		
Post-question	Please tick one box for each line		

dizzy: Feeling dizzy

Value	Label	Cases	Percentage
1	About every day	5963	3.7%
2	More than once a week	8502	5.3%
3	About every week	10151	6.4%
4	About every month	21813	13.7%
5	Rarely or never	113051	70.9%
Sysmiss		2825	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

health: Health

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=152111 /-] [Invalid=10194 /-]
Literal question	MQ40. Would you say your health is.....?

Value	Label	Cases	Percentage
1	Excellent	48608	32.0%
2	Good	76712	50.4%
3	Fair	23730	15.6%
4	Poor	3061	2.0%
Sysmiss		10194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

lifesat: Life satisfaction

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=149292 /-] [Invalid=13013 /-]
Literal question	MQ42. Here is a picture of a ladder. The top of the ladder '10' is the best possible life for you and the bottom '0' is the worst possible life for you. In general, where on the ladder do you feel you stand at the moment?
Post-question	Tick the box next to the number that best describes where you stand.

Value	Label	Cases	Percentage
0	Worst possible life	666	0.4%
1		721	0.5%
2		1174	0.8%
3		2418	1.6%
4		4465	3.0%
5		14075	9.4%
6		13869	9.3%
7		25000	16.7%
8		35506	23.8%
9		27731	18.6%
10	Best possible life	23667	15.9%
Sysmiss		13013	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

acachieve: Academic achievement

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=160597 /-] [Invalid=1708 /-]
Literal question	MQ42. In your opinion, what does your class teacher(s) think about your school performance compared to your classmates?

# acachieve: Academic achievement			
Value	Label	Cases	Percentage
1	Very good	30556	19.0%
2	Good	66825	41.6%
3	Average	54187	33.7%
4	Below average	9029	5.6%
System		1708	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# likeschool: Liking school			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=161121 /-] [Invalid=1184 /-]		
Literal question	MQ43. How do you feel about school at present?		
Value	Label	Cases	Percentage
1	I like it a lot	37980	23.6%
2	I like it a bit	72987	45.3%
3	I don't like it very much	34659	21.5%
4	I don't like it at all	15495	9.6%
System		1184	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# studtogether: Students being together			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=160497 /-] [Invalid=1808 /-]		
Literal question	MQ44. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. A. The students in my class(es) enjoy being together		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Strongly agree	46906	29.2%
2	Agree	66280	41.3%
3	Neither agree nor disagree	33855	21.1%
4	Disagree	9785	6.1%
5	Strongly disagree	3671	2.3%
System		1808	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# studhelpful: Students kind and helpful			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=160199 /-] [Invalid=2106 /-]		
Literal question	MQ44. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. B. Most of the students in my class(es) are kind and helpful		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Strongly agree	37104	23.2%
2	Agree	65369	40.8%
3	Neither agree nor disagree	35308	22.0%

# studhelpful: Students kind and helpful			
Value	Label	Cases	Percentage
4	Disagree	16650	10.4%
5	Strongly disagree	5768	3.6%
Sysmiss		2106	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# studaccept: Students accept me			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159978 /-] [Invalid=2327 /-]		
Literal question	MQ44. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. C. Other students accept me as I am		
Post-question	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Strongly agree	53032	33.1%
2	Agree	69629	43.5%
3	Neither agree nor disagree	23777	14.9%
4	Disagree	8728	5.5%
5	Strongly disagree	4812	3.0%
Sysmiss		2327	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# schoolpressure: Pressured by schoolwork			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=160339 /-] [Invalid=1966 /-]		
Literal question	MQ45. How pressured do you feel by the schoolwork you have to do?		
Value	Label	Cases	Percentage
1	Not at all	32283	20.1%
2	A little	72379	45.1%
3	Some	38742	24.2%
4	A lot	16935	10.6%
Sysmiss		1966	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# occuplesfa: Extended code			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-]		
Literal question	Composite measure		
Value	Label	Cases	Percentage
1	SES 1 (HIGH)	11198	6.9%
2	SES 2	18666	11.5%
3	SES 3	31822	19.6%
4	SES 4	38433	23.7%
5	SES 5 (LOW)	16831	10.4%
6	JOB, SES NOT CLASS	19868	12.2%
7	SICK,RETIRED,STUD.	4273	2.6%
8	LOOKING FOR JOB	4159	2.6%

# occupsesfa: Extended code			
Value	Label	Cases	Percentage
9	HOME WORKING	1472	0.9%
10	DON`T KNOW	4337	2.7%
11	DON`T HAVE OR SEE	3535	2.2%
12	NOT CLASSIFIABLE	7711	4.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# occupsesmo: Extended code			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=162305 /-] [Invalid=0 /-]		
Literal question	Composite measure		
Value	Label	Cases	Percentage
1	SES 1 (HIGH)	6433	4.0%
2	SES 2	18611	11.5%
3	SES 3	34587	21.3%
4	SES 4	22739	14.0%
5	SES 5 (LOW)	17522	10.8%
6	JOB NOT CLASS.	16162	10.0%
7	SICK,RETIRED,STUD.	3748	2.3%
8	LOOKING FOR JOB	6530	4.0%
9	HOME WORKING	22478	13.8%
10	DON`T KNOW	4527	2.8%
11	DON`T HAVE OR SEE	649	0.4%
12	NOT CLASSIFIABLE	8319	5.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# famcar: Family car			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=160550 /-] [Invalid=1755 /-]		
Literal question	MQ47. Does your family own a car, van or truck?		
Value	Label	Cases	Percentage
1	No	21479	13.4%
2	Yes, one	71508	44.5%
3	Yes, two or more	67563	42.1%
Sysmiss		1755	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# bedroom: Own bedroom			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=160404 /-] [Invalid=1901 /-]		
Literal question	MQ48. Do you have your own bedroom for yourself?		
Value	Label	Cases	Percentage
1	No	40588	25.3%
2	Yes	119816	74.7%
Sysmiss		1901	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# holidays: Vacation			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=160404 /-] [Invalid=1901 /-]		
Literal question	MQ49. During the past 12 months, how many times did you travel away on holiday [vacation] with your family?		
Value	Label	Cases	Percentage
1	Not at all	29033	18.1%
2	Once	47138	29.4%
3	Twice	36354	22.7%
4	More than twice	47879	29.8%
System		1901	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# computers: No. of computers			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=160730 /-] [Invalid=1575 /-]		
Literal question	MQ50. How many computers does your family own?		
Value	Label	Cases	Percentage
1	None	37598	23.4%
2	1	76375	47.5%
3	2	29507	18.4%
4	More than two	17250	10.7%
System		1575	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# welloff: Family well off			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=159615 /-] [Invalid=2690 /-]		
Literal question	MQ51. How well off do you think your family is?		
Value	Label	Cases	Percentage
1	Very well off	26497	16.6%
2	Quite well off	53674	33.6%
3	Average	67299	42.2%
4	Not very well off	9892	6.2%
5	Not at all well off	2253	1.4%
System		2690	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hungry: Hungry to bed			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=161148 /-] [Invalid=1157 /-]		
Literal question	MQ52. Some young people go to school or to bed hungry because there is not enough food at home. How often does this happen to you?		
Value	Label	Cases	Percentage
1	Always	1928	1.2%
2	Often	2203	1.4%
3	Sometimes	19774	12.3%
4	Never	137243	85.2%

# hungry: Hungry to bed			
Value	Label	Cases	Percentage
Sysmiss		1157	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# menarche: Age of menstruation			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*0]		
Statistics [NW/ W]	[Valid=73174 /-] [Invalid=89131 /-]		
Literal question	MQ53. Have you begun to menstruate (have periods)?		
Value	Label	Cases	Percentage
1	No, I have not yet begun to menstruate	28412	38.8%
2		6	0.0%
3		3	0.0%
4		3	0.0%
5		5	0.0%
6		4	0.0%
7		15	0.0%
8		61	0.1%
9		441	0.6%
10		2176	3.0%
11		8747	12.0%
12		15185	20.8%
13		13175	18.0%
13.5		1	0.0%
14		4227	5.8%
15		669	0.9%
16		26	0.0%
17		18	0.0%
0	INAP	71454	
Sysmiss		17677	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			