

**Austria, Armenia, Belgium (Flemish), Belgium (French), Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Greenland, Hungary, Iceland, Ireland, Israel, Italy, Latvia, Lithuania, Luxembourg, Netherlands, Norway, Poland, Portugal, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, Macedonia, England, Scotland, Wales, USA.**

**Health Behaviour in School-aged Children, HBSC**

**HBSC-2009/10, ed.1.0**

**Study Documentation**

December 13, 2016

# Metadata Production

<b>Metadata Producer(s)</b>	
<b>Production Date</b>	December 2, 2013
<b>Version</b>	
<b>Identification</b>	HBSC2010OAed1.0

# Table of Contents

<a href="#">Overview</a> .....	4
<a href="#">Scope &amp; Coverage</a> .....	5
<a href="#">Producers &amp; Sponsors</a> .....	6
<a href="#">Sampling</a> .....	6
<a href="#">Data Collection</a> .....	7
<a href="#">Accessibility</a> .....	7
<a href="#">Rights &amp; Disclaimer</a> .....	8
<a href="#">Files Description</a> .....	9
<a href="#">HBSC-2010, OpenAccess, ed. 1.0</a> .....	9
<a href="#">Variables Group(s)</a> .....	10
<a href="#">Id variables</a> .....	10
<a href="#">Sample weights</a> .....	10
<a href="#">Cluster variable</a> .....	10
<a href="#">Data collection</a> .....	10
<a href="#">Demographics</a> .....	10
<a href="#">Health behaviours - Eating behaviour</a> .....	10
<a href="#">Health behaviours - Injuries</a> .....	11
<a href="#">Health behaviours - Oral health</a> .....	11
<a href="#">Health behaviours - Physical activity</a> .....	11
<a href="#">Health behaviours - Sedentary behaviour</a> .....	11
<a href="#">Health outcomes - Body weight and body image</a> .....	12
<a href="#">Health outcomes - Health complaints</a> .....	12
<a href="#">Health outcomes - Self rated health and life satisfaction</a> .....	12
<a href="#">Risk behaviours - Alcohol use</a> .....	13
<a href="#">Risk behaviours - Bullying</a> .....	13
<a href="#">Risk behaviours - Cannabis use</a> .....	14
<a href="#">Risk behaviours - Fighting</a> .....	14
<a href="#">Risk behaviours - Sexual behaviour</a> .....	14
<a href="#">Risk behaviours - Tobacco use</a> .....	15
<a href="#">Social context - Family</a> .....	15
<a href="#">Social context - Peers</a> .....	16
<a href="#">Social context - Puberty</a> .....	17
<a href="#">Social context - School environment</a> .....	17
<a href="#">Social inequality - Family affluence</a> .....	18
<a href="#">Social inequality - Parents occupational status</a> .....	18
<a href="#">Variables Description</a> .....	19
<a href="#">HBSC-2010, OpenAccess, ed. 1.0</a> .....	20

## HBSC-2009/10, ed.1.0

### Overview

<b>Identification</b>	HBSC2010OAed1.0
<b>Version</b>	Production Date: 2015-10-01 HBSC 2010 OA edition 1.0 <u>Notes</u> This first edition includes all countries/regions that conducted the survey in 2009/2010 and all of their relevant mandatory variables. New editions of this file may be released in the future.

### Abstract

The HBSC research network is an international alliance of researchers that collaborate on the cross-national survey of school students: Health Behaviour in School-aged Children (HBSC). The HBSC collects data every four years on 11-, 13- and 15-year-old boys' and girls' health and well-being, social environments and health behaviours. These years mark a period of increased autonomy that can influence how their health and health-related behaviours develop. The research venture dates back to 1982, when researchers from England, Finland and Norway agreed to develop and implement a shared research protocol to survey school children. By 1983 the HBSC study was adopted by the WHO Regional Office for Europe as a collaborative study. HBSC now includes about 43 countries and regions across Europe and North America. This research collaboration brings in individuals with a wide range of expertise in areas such as clinical medicine, epidemiology, human biology, paediatrics, pedagogy, psychology, public health, public policy, and sociology. The approach to study development has therefore involved cross-fertilization of a range of perspectives. As such, the HBSC study is the product of topic-focused groups that collaborate to develop the conceptual foundations of the study, identify research questions, decide the methods and measurements to be employed, and work on data analyses and the dissemination of findings.

#### What do we research?

Behaviours established during adolescence can continue into adulthood, affecting issues such as mental health, the development of health complaints, tobacco use, diet, physical activity levels, and alcohol use. HBSC focuses on understanding young people's health in their social context - where they live, at school, with family and friends. Researchers in the HBSC network are interested in understanding how these factors, individually and together, influence young people's health as they move from childhood into young adulthood.

The international standard questionnaire produced for every survey cycle enables the collection of common data across all participating countries and thus enables the quantification of patterns of key health behaviours, health indicators and contextual variables. These data allow cross-national comparisons to be made and, with successive surveys, trend data is gathered and may be examined at both the national and cross-national level. The international network is organized around an interlinked series of focus and topic groups related to the following areas:

- Body image
- Bullying and fighting
- Eating behaviours
- Health complaints
- Injuries
- Life satisfaction
- Obesity
- Oral health
- Physical activity and sedentary behaviour
- Relationships: Family and Peers
- School environment
- Self-rated health
- Sexual behaviour
- Socioeconomic environment
- Substance use: Alcohol, Tobacco and Cannabis
- Weight reduction behaviour
- How can you use our findings and expertise?

HBSC's findings show how young people's health changes as they move from childhood, through adolescence into adulthood. Member countries and stakeholders at national and international levels use our data to monitor young people's health, understand the social determinants of health, and determine effective health improvement interventions. Those working in child and adolescent health view HBSC as an extensive databank and repository of multidisciplinary expertise, which can: support and further their research interests, lobby for change, inform policy and practice, and monitor trends over time.

After each survey cycle most countries write a national report, and each survey cycle is also followed by an international report. The international reports and more comprehensive information can be found by following these links:

HBSC Homepage: [www.hbsc.org](http://www.hbsc.org)

International reports: <http://www.hbsc.org/publications/international>

<b>Kind of Data</b>	Survey data
<b>Unit of Analysis</b>	Individual

## Scope & Coverage

<b>Keywords</b>	Education, Health, Children, Physical activities, Diet and nutrition, Leisure time activities, Sexual behaviour
<b>Topics</b>	Body image, Bullying and fighting, Eating behaviours, Health complaints, Injuries, Life satisfaction, Obesity, Oral health, Physical activity and sedentary behaviour, Relationships: Family and Peers, School environment, Self-rated health, Sexual behaviour, Socioeconomic environment, Substance use: Alcohol, Tobacco and Cannabis, Weight and reduction behaviour
<b>Time Period(s)</b>	2009-2011
<b>Countries</b>	Austria, Armenia, Belgium (Flemish), Belgium (French), Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Greenland, Hungary, Iceland, Ireland, Israel, Italy, Latvia, Lithuania, Luxembourg, Netherlands, Norway, Poland, Portugal, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, Macedonia, England, Scotland, Wales, USA.

### Geographic Coverage

Country/Region:

Austria,  
 Armenia,  
 Belgium (Flemish),  
 Belgium (French),  
 Canada,  
 Croatia,  
 Czech Republic,  
 Denmark,  
 Estonia,  
 Finland,  
 France,  
 Germany,  
 Greece,  
 Greenland,  
 Hungary,  
 Iceland,  
 Ireland,  
 Israel,  
 Italy,  
 Latvia,  
 Lithuania,

Luxembourg,  
Netherlands,  
Norway,  
Poland,  
Portugal,  
Romania,  
Russia,  
Slovakia,  
Slovenia,  
Spain,  
Sweden,  
Switzerland,  
Turkey,  
Ukraine,  
Macedonia,  
England,  
Scotland,  
Wales,  
USA.

### **Universe**

The HBSC collects data every four years on 11-, 13- and 15-year-old boys' and girls' health and well-being, social environments and health behaviours in 43 countries.

### **Producers & Sponsors**

<b>Primary Investigator(s)</b>	Health Behaviour in School-aged Children, HBSC
<b>Other Producer(s)</b>	Health Behaviour in School-aged Children (HBSC)
<b>Funding Agency/ies</b>	Each member country is responsible for its own funding of the project. Norway and Scotland has a special responsibility in the fundings of the entire project and the open access solution.
<b>Other Acknowledgment(s)</b>	, Finance the internationale reports , WHO

### **Sampling**

#### **Sampling Procedure**

Most students are selected through random selection of classes within targeted school years/grades. In most cases only one class per grade will be selected but on occasion there may be more than one (e.g. if class sizes are small).

#### Sample selection

Two preferred ways a sampling are set out: 1) simple random sampling of school classes uses a computerized random sampling procedure, 2) systematic sampling of every n-th class from the list using a random starting point. Systematic sampling is just as good as random sampling as long as the list does not contain any hidden order. If a different method is proposed, please give as much detail as possible. Knowledge about the method of sampling is important because it influences bias and precision of population parameter estimates.

#### Probability proportional to size (PPS) sampling

Put simply, when PPS sampling is used, the size of the school is taken into account when drawing the sample, to ensure that students have an equal chance of selection. If PPS sampling is not used, students in smaller schools have a greater chance of selection (e.g. 30 students selected from 150 compared with 30 students selected from 250). School size could be measured by number of classes or total number of students at the school. PPS sampling is used on many large scale social surveys.

In Wales, each school is represented on the sample frame by the total number of students in the school (we don't have information on the number of classes per school). The sampling fraction is calculated by dividing the total population by the number of schools required to deliver a sample of sufficient size. The outcome is that large schools have a greater chance of selection, which balances the fact that the chance of a student (or class) being selected in a large school is lower, the end result being that each individual class (student) in the population has a (roughly) equal chance of selection.

For example, if then we have 5 schools in a local education authority of size 1000, 750, 500, 400 and 200 students, school A will take up places 1-1000 on the sampling frame, school B 1001-1750, school C 1751-2250, school D 2251-2650 and school E 2651-2850. If 2 schools were required in the authority (using the national sampling fraction), sampling fraction would be 1425 and let's assume a random start point of 800, then the school at points 800 and 2225 would be selected i.e. schools A and C.

### **Response Rate**

Comparing response rates across countries/regions in the HBSC study and interpreting differences is problematic for a number of reasons. First, there is variability in the primary sampling unit (PSU) between countries/regions, with some selecting classes and others schools, depending on the availability of a class-based sampling frame. Where school is the PSU, it is common to select a class in each of the three age groups within a school, increasing the potential burden, which is likely to impact on school/class level response rates. Second, country or region size and differences in the volume of school-based research may impact on school/class level response rates, with the burden on schools and likelihood of taking part varying between participating countries/regions. Third, countries/regions differ in the way that they deal with non-response, some oversampling, some pre-selecting replacement schools or a combination of both approaches. Fourth, information is not always available on pupil non-attendance on the day that fieldwork takes place, meaning that pupil level response rates cannot be calculated or have to be approximated.

### **Data Collection**

<b>Data Collection Dates</b>	start 2009-09-01 end 2011-06-30
<b>Time Period(s)</b>	start 2009 end 2011
<b>Data Collection Mode</b>	Paper/pencil questionnaire
<b>Data Collector(s)</b>	Member countries of HBSC (HBSC)

### **Other Processing**

The mandatory items were delivered to all age groups with the following exceptions, which were delivered to 15 year olds only:

- Age of onset for drinking alcohol, drunkenness and smoking (M22)
- Illicit drug use (cannabis) (M23)
- Sexual health (M24-M27)

It is recognised that in some countries topics of illicit drug use (cannabis) and sexual health are considered highly sensitive and their inclusion may not have been possible. If the inclusion of one or more of these topics would seriously jeopardise the national survey (for example, because approval by governing bodies would not be granted or response rates would be affected to an unacceptable level) it was permissible to exclude these items.

### **Accessibility**

<b>Distributor(s)</b>	HBSC Data Management Center
<b>Depositor(s)</b>	

**Rights & Disclaimer****Disclaimer**

Neither Health Behaviour in School-aged Children nor NSD are responsible for the analysis/interpretation of the data presented here.

**Copyright**

Copyright (C) 2013 Health Behaviour in School-aged Children



# Files Description

Dataset contains 1 file(s)

<b>HBSC-2010, OpenAccess, ed. 1.0</b>	
<b># Cases</b>	213595
<b># Variable(s)</b>	128

# Variables Group(s)

Dataset contains 25 group(s)

<b>Group Id variables</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	surveyyear	Survey year/round	discrete	numeric-8.0	213595	0	HBSC 2010
2	countryno	Country/WHO Region	discrete	numeric-8.0	213595	0	-
3	subregion	Stratum	continuous	numeric-2.0	213595	0	Region/Municipality
4	schoolno	School	continuous	numeric-3.0	213595	0	School
5	classno	Class	continuous	numeric-3.0	213595	0	Class
6	uniqueid	Unique ID	continuous	numeric-8.0	213595	0	-

<b>Group Sample weights</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	sampleweights	Weighting	discrete	numeric-8.6	213595	0	Weight of dataset

<b>Group Cluster variable</b>							
-------------------------------	--	--	--	--	--	--	--

<b>Group Data collection</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	monhtcollect	Month of data collection	discrete	numeric-2.0	213582	13	Month of data collection
2	yearcollect	Year of data collection	discrete	numeric-4.0	213586	9	Year of data collection

<b>Group Demographics</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	sex	Gender	discrete	numeric-1.0	213595	0	MQ1. Are you a boy or a girl?
2	grade	Grade	discrete	numeric-1.0	158997	54598	-
3	monthbirth	Month of birth	discrete	numeric-2.0	212397	1198	MQ3. What month were you born?
4	yearbirth	Year of birth	discrete	numeric-4.0	212413	1182	MQ4. What year were you born?
5	age	Age	continuous	numeric-7.4	211551	2044	Age
6	agecat	Age category	discrete	numeric-1.0	211551	2044	Age category

<b>Group Health behaviours - Eating behaviour</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	breakfastwd	Breakfast weekdays	discrete	numeric-1.0	205115	8480	MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)? Please tick one box for weekdays and one box for weekend
2	breakfastwe	Breakfast weekends	discrete	numeric-1.0	207573	6022	MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)? Please tick one box for weekdays and one box for weekend

#	Name	Label	Type	Format	Valid	Invalid	Question
3	fruits	Eat fruits	discrete	numeric-1.0	211582	2013	MQ6. How many times a week do you usually eat or drink .... ? A. Fruit
4	vegetables	Eat vegetables	discrete	numeric-1.0	211083	2512	MQ6. How many times a week do you usually eat or drink .... ? B. Vegetables
5	sweets	Eat sweets	discrete	numeric-1.0	211123	2472	MQ6. How many times a week do you usually eat or drink .... ? C. Sweets (candy or chocolate)
6	softdrinks	Drink coke/soft drinks	discrete	numeric-1.0	211261	2334	MQ6. How many times a week do you usually eat or drink .... ? D. Coke or other soft drinks that contain sugar
7	ondiet	On a diet	discrete	numeric-1.0	211127	2468	MQ7. At present are you on a diet or doing something else to lose weight?

### Group Health behaviours - Injuries

#	Name	Label	Type	Format	Valid	Invalid	Question
1	injured12m	Times injured	discrete	numeric-1.0	208468	5127	<a href="#">injured12m question details</a>

### Group Health behaviours - Oral health

#	Name	Label	Type	Format	Valid	Invalid	Question
1	toothbr	Tooth brushing	discrete	numeric-1.0	211968	1627	MQ11. How often do you brush your teeth?

### Group Health behaviours - Physical activity

#	Name	Label	Type	Format	Valid	Invalid	Question
1	physact60	Physical activity past 7 days	discrete	numeric-1.0	208705	4890	<a href="#">physact60 question details</a>
2	timeexce	Exercise - times a week	discrete	numeric-1.0	206998	6597	MQ13. OUTSIDE SCHOOL HOURS: How often do you usually exercise in your free time so much that you get out of breath or sweat?
3	hourexce	Exercise - hours a week	discrete	numeric-1.0	205600	7995	MQ14. OUTSIDE SCHOOL HOURS: How many hours a week do you usually exercise in your free time so much that you get out of breath or sweat?

### Group Health behaviours - Sedentary behaviour

#	Name	Label	Type	Format	Valid	Invalid	Question
1	tvwd	Watch tv/dvd/video, weekdays	discrete	numeric-1.0	204638	8957	MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time? A. Weekdays
2	tvwe	Watch tv/dvd/video, weekends	discrete	numeric-1.0	203129	10466	MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time? B. Weekends
3	playgamewd	Play computer games, weekdays	discrete	numeric-1.0	198165	15430	MQ16. About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube etc.) in your free time? A. Weekdays

#	Name	Label	Type	Format	Valid	Invalid	Question
4	playgamewe	Play computer games, weekends	discrete	numeric-1.0	197019	16576	MQ16. About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube etc.) in your free time? B. Weekends
5	compusewd	Computer use, weekdays	discrete	numeric-1.0	204388	9207	MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time? A. Weekdays
6	compusewe	Computer use, weekends	discrete	numeric-1.0	202957	10638	MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time? B. Weekends

### Group Health outcomes - Body weight and body image

#	Name	Label	Type	Format	Valid	Invalid	Question
1	thinkbody	Think about body	discrete	numeric-1.0	209848	3747	MQ8. Do you think your body is.....?
2	bodyweight	Weight	continuous	numeric-3.0	187542	26053	MQ9. How much do you weigh without clothes?
3	bodyheight	Height	continuous	numeric-3.0	185577	28018	MQ10. How tall are you without shoes?
4	MBMI	Body Mass Index	continuous	numeric-8.2	174985	38610	-

### Group Health outcomes - Health complaints

#	Name	Label	Type	Format	Valid	Invalid	Question
1	headache	Headache	discrete	numeric-1.0	209575	4020	MQ40. In the last 6 months: how often have you had the following....? A. Headache
2	stomachache	Stomach-ache	discrete	numeric-1.0	209020	4575	MQ40. In the last 6 months: how often have you had the following....? B. Stomach-ache
3	backache	Back ache	discrete	numeric-1.0	208707	4888	MQ40. In the last 6 months: how often have you had the following....? C. Back ache
4	feellow	Feeling low	discrete	numeric-1.0	208518	5077	MQ40. In the last 6 months: how often have you had the following....? D. Felling low
5	irritable	Irritability or bad temper	discrete	numeric-1.0	208342	5253	MQ40. In the last 6 months: how often have you had the following....? D. Irritability or bad temper
6	nervous	Feeling nervous	discrete	numeric-1.0	208306	5289	MQ40. In the last 6 months: how often have you had the following....? E. Feeling nervous
7	sleepdifficulty	Difficulties in sleeping	discrete	numeric-1.0	208447	5148	MQ40. In the last 6 months: how often have you had the following....? F. Difficulties in getting to sleep
8	dizzy	Feeling dizzy	discrete	numeric-1.0	208454	5141	MQ40. In the last 6 months: how often have you had the following....? G. Feeling dizzy

### Group Health outcomes - Self rated health and life satisfaction

#	Name	Label	Type	Format	Valid	Invalid	Question
---	------	-------	------	--------	-------	---------	----------

#	Name	Label	Type	Format	Valid	Invalid	Question
1	health	Health	discrete	numeric-1.0	210281	3314	MQ41. Would you say your health is.....?
2	lifesat	Life satisfaction	discrete	numeric-2.0	207664	5931	MQ42. Here is a picture of a ladder. The top of the ladder '10' is the best possible life for you and the bottom '0' is the worst possible life for you. In general, where on the ladder do you feel you stand at the moment?

### Group Risk behaviours - Alcohol use

#	Name	Label	Type	Format	Valid	Invalid	Question
1	beer	Beer	discrete	numeric-1.0	200586	13009	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount. A. Beer
2	wine	Wine	discrete	numeric-1.0	199678	13917	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount. B. Wine
3	spirits	Spirits	discrete	numeric-1.0	199291	14304	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount. C. Spirits
4	alcopops	Alcopops	discrete	numeric-1.0	197036	16559	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount. D. Acopops
5	otheralco	Other alcohol drink	discrete	numeric-1.0	187671	25924	MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount. H. Other alcoholic drink
6	drunk	Been drunk	discrete	numeric-1.0	201474	12121	MQ21. Have you ever had so much alcohol that you were really drunk?
7	agealco	Age of first alcohol drink	discrete	numeric-1.0	107467	106128	MQ22. At what age did you first do the following things? A. Drink alcohol (more than a small amount)
8	agedrunk	Age of first drunk	discrete	numeric-1.0	106960	106635	MQ22. At what age did you first do the following things? B. Get drunk
9	drink30d	Drunk alcohol last 30 days	discrete	numeric-1.0	162140	51455	-
10	drunk30d	Been drunk last 30 days	discrete	numeric-1.0	160761	52834	-

### Group Risk behaviours - Bullying

#	Name	Label	Type	Format	Valid	Invalid	Question
1	beenbullied	Bullied past 2 months	discrete	numeric-1.0	202403	11192	<a href="#">beenbullied question details</a>

#	Name	Label	Type	Format	Valid	Invalid	Question
2	bulliedothers	Bullied others past 2 months	discrete	numeric-1.0	202294	11301	MQ32. How often have you taken part in bullying another student(s) at school in the past couple of months?

### Group Risk behaviours - Cannabis use

#	Name	Label	Type	Format	Valid	Invalid	Question
1	cannabisltn	Cannabis life time	discrete	numeric-1.0	87136	126459	MQ24. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES] .....? A. In your life
2	cannabis12m	Cannabis last 12 months	discrete	numeric-1.0	85904	127691	MQ24. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES] .....? B. In the last 12 months
3	cannabis30d	Cannabis last 30 days	discrete	numeric-1.0	85802	127793	MQ24. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES] .....? C. In the last 30 days

### Group Risk behaviours - Fighting

#	Name	Label	Type	Format	Valid	Invalid	Question
1	fight12m	Times physical fight	discrete	numeric-1.0	192208	21387	MQ30. During the past 12 months, how many times were you in a physical fight?

### Group Risk behaviours - Sexual behaviour

#	Name	Label	Type	Format	Valid	Invalid	Question
1	hadsex	Sexual intercourse	discrete	numeric-1.0	74505	139090	MQ25. Have you ever had sexual intercourse (sometimes this is called "making love," "having sex," or "going all the way" or other appropriate colloquial terms)?
2	agesex	Age of first sexual intercourse	discrete	numeric-1.0	64770	148825	MQ26. Age of first sexual intercourse
3	contraceptnever	Contraceptive-never	discrete	numeric-1.0	44748	168847	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? A. I have never had sexual intercourse
4	contraceptnomet	Contraceptive-no method	discrete	numeric-1.0	3676	209919	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? B. No method was used to prevent pregnancy
5	contraceptpill	Contraceptive-birth control pills	discrete	numeric-1.0	15900	197695	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? C. Birth control pills
6	contraceptcondom	Contraceptive-condoms	discrete	numeric-1.0	18752	194843	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? D. Condoms
7	contraceptwithdra	Contraceptive-withdrawal	discrete	numeric-1.0	14662	198933	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? E. Withdrawal

#	Name	Label	Type	Format	Valid	Invalid	Question
8	contraceptother	Contraceptive-other method	discrete	numeric-1.0	14213	199382	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? - Some other method - National choice option (Yes on this variable includes those who answered Yes to "some other method" and those who answered yes to "national choice option".)
9	contraceptnotsure	Contraceptive-not sure	discrete	numeric-1.0	16820	196775	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? G. Not sure
10	condomuse	Condom use, last intercourse	discrete	numeric-1.0	62606	150989	MQ28. The last time you had sexual intercourse, did you or your partner use a condom?

### Group Risk behaviours - Tobacco use

#	Name	Label	Type	Format	Valid	Invalid	Question
1	triedsmoke	Tried smoking	discrete	numeric-1.0	205148	8447	MQ18. Have you ever smoked tobacco? (At least one cigarette, cigar or pipe)
2	smoking	Smoking	discrete	numeric-1.0	205392	8203	MQ19. How often do you smoke tobacco at present?
3	agecigarette	Age of first cigarette	discrete	numeric-1.0	105999	107596	MQ22. At what age did you first do the following things? C. Smoke a cigarette (more than a puff)
4	smoke30d	Smoked cigarettes last 30 days	discrete	numeric-1.0	161207	52388	-

### Group Social context - Family

#	Name	Label	Type	Format	Valid	Invalid	Question
1	motherhome1	Mother in main home	discrete	numeric-1.0	206251	7344	<a href="#">motherhome1 question details</a>
2	fatherhome1	Father in main home	discrete	numeric-1.0	206032	7563	<a href="#">fatherhome1 question details</a>
3	stepmohome1	Stepmother in main home	discrete	numeric-1.0	205577	8018	<a href="#">stepmohome1 question details</a>
4	stepfahome1	Stepfather in main home	discrete	numeric-1.0	205631	7964	<a href="#">stepfahome1 question details</a>
5	grandmohome1	Grandmother in main home	discrete	numeric-1.0	205284	8311	<a href="#">grandmohome1 question details</a>
6	grandfahome1	Grandfather in main home	discrete	numeric-1.0	205118	8477	<a href="#">grandfahome1 question details</a>
7	fosterhome1	Living in foster/child home	discrete	numeric-1.0	205662	7933	<a href="#">fosterhome1 question details</a>
8	elsehome1	Living with someone else or somewhere else	discrete	numeric-1.0	199315	14280	<a href="#">elsehome1 question details</a>
9	brothershome1	No. brothers main home	discrete	numeric-2.0	189310	24285	<a href="#">brothershome1 question details</a>
10	sistershome1	No. sisters main home	discrete	numeric-2.0	188216	25379	<a href="#">sistershome1 question details</a>
11	havehome2	Have second home	discrete	numeric-1.0	196538	17057	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced?
12	stayhome2	How often stay in second home	discrete	numeric-1.0	36044	177551	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? A. How often do you stay in second home?

#	Name	Label	Type	Format	Valid	Invalid	Question
13	motherhome2	Mother in second home	discrete	numeric-1.0	108011	105584	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Mother
14	fatherhome2	Father in second home	discrete	numeric-1.0	108158	105437	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Father
15	stepmohome2	Stepmother in second home	discrete	numeric-1.0	107984	105611	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? C. Stepmother
16	stepfahome2	Stepfather in second home	discrete	numeric-1.0	107913	105682	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? D. Stepfather
17	grandmohome2	Grandmother in second home	discrete	numeric-1.0	107958	105637	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? E. Grandmother
18	grandfahome2	Grandfather in second home	discrete	numeric-1.0	107924	105671	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? F. Grandfather
19	fosterhome2	Living in foster/child home	discrete	numeric-1.0	107888	105707	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? G. Living in foster home/children's home
20	elsehome2	Living with someone else or somewhere else	discrete	numeric-1.0	107763	105832	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? H. Somone or somewhere els: pleas writ it down ...
21	brothershome2	No. brothers second home	discrete	numeric-2.0	40444	173151	<a href="#">brothershome2 question details</a>
22	sistershome2	No. sisters second home	discrete	numeric-2.0	40860	172735	<a href="#">sistershome2 question details</a>
23	talkfather	Talk to father	discrete	numeric-1.0	198499	15096	MQ35. How easy is it for you to talk to the following persons about things that really bother you? A. Father
24	talkstepfa	Talk to stepfather	discrete	numeric-1.0	165826	47769	MQ35. How easy is it for you to talk to the following persons about things that really bother you? B. Stepfather
25	talkmother	Talk to mother	discrete	numeric-1.0	197967	15628	MQ35. How easy is it for you to talk to the following persons about things that really bother you? C. Mother
26	talkstepmo	Talk to stepmother	discrete	numeric-1.0	163980	49615	MQ35. How easy is it for you to talk to the following persons about things that really bother you? D. Stepmother
27	talkbrother	Talk to elder brother	discrete	numeric-1.0	177743	35852	MQ35. How easy is it for you to talk to the following persons about things that really bother you? E. Elder brother(s)
28	talksister	Talk to elder sister	discrete	numeric-1.0	176288	37307	MQ35. How easy is it for you to talk to the following persons about things that really bother you? F. Elder sister(s)

## Group Social context - Peers



#	Name	Label	Type	Format	Valid	Invalid	Question
1	talkbestfriend	Talk to best friend	discrete	numeric-1.0	193212	20383	MQ35. How easy is it for you to talk to the following persons about things that really bother you? G. Best friend
2	talksamesex	Talk to friend same sex	discrete	numeric-1.0	192011	21584	MQ35. How easy is it for you to talk to the following persons about things that really bother you? H. Friend of the same sex
3	talkopposex	Talk to friend opposite sex	discrete	numeric-1.0	190243	23352	MQ35. How easy is it for you to talk to the following persons about things that really bother you? I. Friend of oppsite sex?
4	malefriends	Close male friends	discrete	numeric-1.0	204701	8894	MQ36. At present, how many close male and female friends do you have? A. Male friends
5	femalefriends	Close female friends	discrete	numeric-1.0	202807	10788	MQ36. At present, how many close male and female friends do you have? B. Female friends
6	friendsafternoon	After school with friends	discrete	numeric-1.0	198032	15563	MQ37. How many days a week do you usually spend time with friends right after school?
7	friendsevening	Evenings with friends	discrete	numeric-1.0	205629	7966	MQ38. How many evenings per week do you usually spend out with your friends?
8	emedia6m	E-& media communication with friends	discrete	numeric-1.0	203196	10399	MQ39. How often do you talk to your friend(s) on the phone or send them text messages or have contact through the internet?

### Group Social context - Puberty

#	Name	Label	Type	Format	Valid	Invalid	Question
1	menarche	Age of menstruation	discrete	numeric-2.0	85345	128250	MQ54. Have you begun to menstruate (have periods)?

### Group Social context - School environment

#	Name	Label	Type	Format	Valid	Invalid	Question
1	acachieve	Academic achievement	discrete	numeric-1.0	209665	3930	MQ43. In your opinion, what does your class teacher(s) think about your school performance compared to your classmates?
2	likeschool	Liking school	discrete	numeric-1.0	210420	3175	MQ44. How do you feel about school at present?
3	studtogether	Students like being together	discrete	numeric-1.0	209073	4522	MQ45. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. A. The students in my class(es) enjoy being together
4	studhelpful	Students kind and helpful	discrete	numeric-1.0	208421	5174	MQ45. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. B. Most of the students in my class(es) are kind and helpful
5	studaccept	Students accept me	discrete	numeric-1.0	207836	5759	MQ45. Here are some statements about the students in your class(es). Please show how much you agree or disagree

#	Name	Label	Type	Format	Valid	Invalid	Question
							with each one. C. Other students accept me as I am
6	schoolpressure	Pressured by schoolwork	discrete	numeric-1.0	209678	3917	MQ46. How pressured do you feel by the schoolwork you have to do?

### Group Social inequality - Family affluence

#	Name	Label	Type	Format	Valid	Invalid	Question
1	famcar	Family car	discrete	numeric-1.0	206338	7257	MQ48. Does your family own a car, van or truck?
2	bedroom	Own bedroom	discrete	numeric-1.0	205877	7718	MQ49. Do you have your own bedroom for yourself?
3	holidays	Vacation	discrete	numeric-1.0	206096	7499	MQ50. During the past 12 months, how many times did you travel away on holiday [vacation] with your family?
4	computers	No. of computers	discrete	numeric-1.0	206608	6987	MQ51. How many computers does your family own?
5	welloff	Family well off	discrete	numeric-1.0	205116	8479	MQ52. How well off do you think your family is?
6	hungry	Hungry to bed	discrete	numeric-1.0	210101	3494	MQ53. Some young people go to school or to bed hungry because there is not enough food at home. How often does this happen to you?

### Group Social inequality - Parents occupational status

#	Name	Label	Type	Format	Valid	Invalid	Question
1	occupsesfa	Extended codes, SES Father	discrete	numeric-2.0	187329	26266	Composite measure
2	occupsesmo	Extended codes, SES Mother	discrete	numeric-2.0	187329	26266	Composite measure

# Variables Description

Dataset contains 128 variable(s)

# File : HBSC-2010, OpenAccess, ed. 1.0

## # surveyyear: Survey year/round

**Information** [Type= discrete] [Format=numeric] [Range= 2010-2010] [Missing=\*]

**Statistics [NW/ W]** [Valid=213595 /-] [Invalid=0 /-] [Mean=2010 /-] [StdDev=0 /-]

**Literal question** HBSC 2010

Value	Label	Cases	Percentage
2010		213595	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # countryno: Country/WHO Region

**Information** [Type= discrete] [Format=numeric] [Range= 8000-840000] [Missing=\*]

**Statistics [NW/ W]** [Valid=213595 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
8000	Albania	0	
40000	Austria	5043	2.4%
51000	Armenia	2833	1.3%
56001	Belgium (Flemish)	4180	2.0%
56002	Belgium (French)	4012	1.9%
100000	Bulgaria	0	
124000	Canada	15919	7.5%
191000	Croatia	6262	2.9%
203000	Czech Republic	4425	2.1%
208000	Denmark	4330	2.0%
233000	Estonia	4236	2.0%
246000	Finland	6723	3.1%
250000	France	6160	2.9%
276000	Germany	5005	2.3%
300000	Greece	4944	2.3%
304000	Greenland	1207	0.6%
348000	Hungary	4864	2.3%
352000	Iceland	11119	5.2%
372000	Ireland	4965	2.3%
376000	Israel	4135	1.9%
380000	Italy	4837	2.3%
428000	Latvia	4284	2.0%
440000	Lithuania	5338	2.5%
442000	Luxembourg	4228	2.0%
470000	Malta	0	
498000	Republic of Moldova	0	
528000	Netherlands	4591	2.1%
578000	Norway	4342	2.0%
616000	Poland	4262	2.0%
620000	Portugal	4036	1.9%
642000	Romania	5404	2.5%
643000	Russia	5174	2.4%
703000	Slovakia	5344	2.5%

# File : HBSC-2010, OpenAccess, ed. 1.0

## # countryno: Country/WHO Region

Value	Label	Cases	Percentage
705000	Slovenia	5436	2.5%
724000	Spain	5040	2.4%
752000	Sweden	6718	3.1%
756000	Switzerland	6678	3.1%
792000	Turkey	5664	2.7%
804000	Ukraine	5890	2.8%
807000	Macedonia	3944	1.8%
826001	England	3524	1.6%
826002	Scotland	6771	3.2%
826003	Wales	5454	2.6%
840000	USA	6274	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # subregion: Stratum

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-1426] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=213595 /-] [Invalid=0 /-] [Mean=13.209 /-] [StdDev=70.392 /-]
<b>Literal question</b>	Region/Municipality

## # schoolno: School

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-50017679] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=213595 /-] [Invalid=0 /-] [Mean=698576.996 /-] [StdDev=4961454.358 /-]
<b>Literal question</b>	School

## # classno: Class

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-58306] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=213595 /-] [Invalid=0 /-] [Mean=842.359 /-] [StdDev=4159.999 /-]
<b>Literal question</b>	Class

## # uniqueid: Unique ID

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 400000070-84000006865] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=213595 /-] [Invalid=0 /-] [Mean=46332140972.51 /-] [StdDev=26090840289.626 /-]

## # sampleweights: Weighting

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0.01408390575-5.97980652713821] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=213595 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0.273 /-]
<b>Literal question</b>	Weight of dataset

Value	Label	Cases	Percentage
0.01408390575		328	0.2%
0.0193042348		308	0.1%
0.0196419445		285	0.1%
0.02063824018		285	0.1%
0.0210878939		338	0.2%
0.0212654157		356	0.2%
0.03206260969		138	0.1%
0.0335112291		160	0.1%

**File : HBSC-2010, OpenAccess, ed. 1.0**

**# sampleweights: Weighting**

Value	Label	Cases	Percentage
0.0345144028		165	0.1%
0.1008435224		886	0.4%
0.1035375203045		29	0.0%
0.1109784244		758	0.4%
0.1153365879620		25	0.0%
0.11825983649		587	0.3%
0.1896789111512		11	0.0%
0.2225057892		816	0.4%
0.2244448613816		36	0.0%
0.2353875638647		52	0.0%
0.2422749222690		13	0.0%
0.2474696247942		34	0.0%
0.2510094351570		22	0.0%
0.26220613242		538	0.3%
0.2654939128833		13	0.0%
0.2665262591599		14	0.0%
0.2759418199085		42	0.0%
0.2794420288668		48	0.0%
0.2875221987590		20	0.0%
0.2927147843		584	0.3%
0.3081625774539		7	0.0%
0.3290348225127		10	0.0%
0.3478753033113		25	0.0%
0.3526334692296		6	0.0%
0.3527852502348		36	0.0%
0.3546284503344		26	0.0%
0.3565086745846		31	0.0%
0.3709854786921		30	0.0%
0.3780708370742		8	0.0%
0.3791722229147		31	0.0%
0.3938469615140		16	0.0%
0.4143638656387		23	0.0%
0.4263222222222		90	0.0%
0.4264073748408		17	0.0%
0.4384881428109		23	0.0%
0.4417592568108		36	0.0%
0.4475538447138		4	0.0%
0.4660515338602		4	0.0%
0.4731079922901		9	0.0%
0.4856984324559		8	0.0%
0.4969970026690		4	0.0%
0.4975930993869		29	0.0%
0.5107166857016		4	0.0%

# File : HBSC-2010, OpenAccess, ed. 1.0

## # sampleweights: Weighting

Value	Label	Cases	Percentage
0.5133775340599		26	0.0%
0.5560722499037		4	0.0%
0.5658848778968		4	0.0%
0.5697024922484		17	0.0%
0.5721796280676		7	0.0%
0.5790550747485		4	0.0%
0.5791454053168		24	0.0%
0.5824290426495		180	0.1%
0.6033690905969		4	0.0%
0.6106235800115		161	0.1%
0.6180431121481		3	0.0%
0.6201177945588		4	0.0%
0.6223903008188		162	0.1%
0.6270158170111		7	0.0%
0.629		61	0.0%
0.6298846379989		22	0.0%
0.6301180617903		3	0.0%
0.6325260897067		25	0.0%
0.6404147322108		8	0.0%
0.6433945274984		9	0.0%
0.6435872327107		3	0.0%
0.6447129165705		18	0.0%
0.6612778169425		156	0.1%
0.6618701397257		16	0.0%
0.6910649793860		3	0.0%
0.7023992258639		7	0.0%
0.7101449275362		69	0.0%
0.715788279		854	0.4%
0.75		54	0.0%
0.7539418		570	0.3%
0.7589722174429		11	0.0%
0.7615790112123		20	0.0%
0.7692575677253		5	0.0%
0.7822773741698		13	0.0%
0.7936430785133		3	0.0%
0.8146256872		797	0.4%
0.8307453		245	0.1%
0.8465058212411		9	0.0%
0.8533348122012		6	0.0%
0.8538251781432		7	0.0%
0.8569666697249		202	0.1%
0.8649314076419		178	0.1%
0.8651009898478		128	0.1%

# File : HBSC-2010, OpenAccess, ed. 1.0

## # sampleweights: Weighting

Value	Label	Cases	Percentage
0.8891779816852		6	0.0%
0.8895651126920		7	0.0%
0.892795		1162	0.5%
0.8959282009664		109	0.1%
0.8959404445754		2	0.0%
0.9065002691403		7	0.0%
0.9083546727324		220	0.1%
0.9268100438986		125	0.1%
0.929918699		861	0.4%
0.9316679906875		212	0.1%
0.942625369		678	0.3%
0.9435660168322		8	0.0%
0.9485309631411		189	0.1%
0.96083931495		525	0.2%
0.97672061516		171	0.1%
0.9810023983564		151	0.1%
0.9842418717179		2	0.0%
0.9891557		958	0.4%
0.9922190971467		210	0.1%
1		180957	84.7%
1.0290976		357	0.2%
1.03		13	0.0%
1.0343523003		760	0.4%
1.0386177847113		1923	0.9%
1.04048930898		587	0.3%
1.05		970	0.5%
1.0545335		193	0.1%
1.06539449107		120	0.1%
1.0658374513136		96	0.0%
1.0717716250286		428	0.2%
1.0758574860592		137	0.1%
1.09		179	0.1%
1.0907665482882		188	0.1%
1.0997476538		673	0.3%
1.1010858566584		187	0.1%
1.1059812385		183	0.1%
1.1192531271711		374	0.2%
1.1221394084164		5	0.0%
1.1276097827505		101	0.0%
1.1277640984773		160	0.1%
1.1359422410431		2	0.0%
1.1372884725672		6	0.0%
1.1479113334030		5	0.0%



## File : HBSC-2010, OpenAccess, ed. 1.0

### # sampleweights: Weighting

Value	Label	Cases	Percentage
1.156163566		134	0.1%
1.1663197468516		131	0.1%
1.1692217335207		158	0.1%
1.1776427474701		182	0.1%
1.1817084564282		7	0.0%
1.2186850984328		145	0.1%
1.2304243654181		95	0.0%
1.2518418809094		96	0.0%
1.2691003767965		2	0.0%
1.2712861257613		122	0.1%
1.2820789125809		330	0.2%
1.3010636579612		122	0.1%
1.3136807705379		306	0.1%
1.3183803		391	0.2%
1.3465706404328		129	0.1%
1.3666077801421		88	0.0%
1.4075678271176		343	0.2%
1.4185350043		116	0.1%
1.422826087		92	0.0%
1.5		27	0.0%
1.6617719		259	0.1%
1.6880170888553		261	0.1%
1.6896551724137		29	0.0%
1.7421237690733		1	0.0%
1.78553998648		599	0.3%
1.8141268683999		1	0.0%
1.8436287108		703	0.3%
1.853168156		116	0.1%
1.862		70	0.0%
1.9487889162976		3	0.0%
2.0193217872503		2	0.0%
2.0214157464		681	0.3%
2.0447673049583		1	0.0%
2.1149898864741		1	0.0%
2.1736991243898		1	0.0%
2.1831915816737		3	0.0%
2.2024037829917		1	0.0%
2.4387234501583		3	0.0%
2.8127966605		769	0.4%
2.91662685674		612	0.3%
2.952970097		778	0.4%
5.9798065271382		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : HBSC-2010, OpenAccess, ed. 1.0

### # monhtcollect: Month of data collection

**Information** [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=\*]

**Statistics [NW/ W]** [Valid=213582 /-] [Invalid=13 /-]

**Literal question** Month of data collection

Value	Label	Cases	Percentage
1	January	11836	5.5%
2	Febuary	33836	15.8%
3	March	45307	21.2%
4	April	13251	6.2%
5	May	36800	17.2%
6	June	22153	10.4%
7	July	306	0.1%
8	August	21	0.0%
9	September	699	0.3%
10	October	10335	4.8%
11	November	21007	9.8%
12	December	18031	8.4%
Sysmiss		13	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # yearcollect: Year of data collection

**Information** [Type= discrete] [Format=numeric] [Range= 2009-2011] [Missing=\*]

**Statistics [NW/ W]** [Valid=213586 /-] [Invalid=9 /-]

**Literal question** Year of data collection

Value	Label	Cases	Percentage
2009		44655	20.9%
2010		166282	77.9%
2011		2649	1.2%
Sysmiss		9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # sex: Gender

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=213595 /-] [Invalid=0 /-]

**Literal question** MQ1. Are you a boy or a girl?

Value	Label	Cases	Percentage
1	Boy	105099	49.2%
2	Girl	108496	50.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # grade: Grade

**Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=158997 /-] [Invalid=54598 /-]

Value	Label	Cases	Percentage
1	Country specific grade (11 year old)	54398	34.2%

## File : HBSC-2010, OpenAccess, ed. 1.0

### # grade: Grade

Value	Label	Cases	Percentage
2	Country specific grade (13 year old)	52711	33.2%
3	Country specific grade (15 year old)	51888	32.6%
Sysmiss		54598	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # monthbirth: Month of birth

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=212397 /-] [Invalid=1198 /-]
<b>Literal question</b>	MQ3. What month were you born?

Value	Label	Cases	Percentage
1	January	15852	7.5%
2	February	16399	7.7%
3	March	18669	8.8%
4	April	19183	9.0%
5	May	20225	9.5%
6	June	18982	8.9%
7	July	19032	9.0%
8	August	17761	8.4%
9	September	17588	8.3%
10	October	16923	8.0%
11	November	15761	7.4%
12	December	16022	7.5%
Sysmiss		1198	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # yearbirth: Year of birth

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1990-2000] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=212413 /-] [Invalid=1182 /-] [Mean=1996.153 /-] [StdDev=1.664 /-]
<b>Literal question</b>	MQ4. What year were you born?

Value	Label	Cases	Percentage
1990		1	0.0%
1991		19	0.0%
1992		27	0.0%
1993		2308	1.1%
1994		51478	24.2%
1995		20665	9.7%
1996		52420	24.7%
1997		20386	9.6%
1998		52391	24.7%
1999		12700	6.0%
2000		18	0.0%
Sysmiss		1182	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : HBSC-2010, OpenAccess, ed. 1.0

### # age: Age

**Information** [Type= continuous] [Format=numeric] [Range= 10.5-16.5] [Missing=\*]

**Statistics [NW/ W]** [Valid=211551 /-] [Invalid=2044 /-] [Mean=13.56 /-] [StdDev=1.641 /-]

**Literal question** Age

### # agecat: Age category

**Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=211551 /-] [Invalid=2044 /-]

**Literal question** Age category

Value	Label	Cases	Percentage
1	11	67924	32.1%
2	13	71975	34.0%
3	15	71652	33.9%
Sysmiss		2044	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # breakfastwd: Breakfast weekdays

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=205115 /-] [Invalid=8480 /-]

**Literal question** MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)?  
Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	Never	33047	16.1%
2	One day	9198	4.5%
3	Two days	10524	5.1%
4	Three days	14094	6.9%
5	Four days	11821	5.8%
6	Five days	126431	61.6%
Sysmiss		8480	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # breakfastwe: Breakfast weekends

**Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=207573 /-] [Invalid=6022 /-]

**Literal question** MQ5. How often do you usually have breakfast (more than a glass of milk or fruit juice)?  
Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	Never	14666	7.1%
2	One day	29084	14.0%
3	Two days	163823	78.9%
Sysmiss		6022	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # fruits: Eat fruits

**Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=211582 /-] [Invalid=2013 /-]

**Literal question** MQ6. How many times a week do you usually eat or drink .... ?

# File : HBSC-2010, OpenAccess, ed. 1.0

## # fruits: Eat fruits

A. Fruit

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	5786	2.7%
2	Less than once a week	13187	6.2%
3	Once a week	21493	10.2%
4	2-4 days a week	60914	28.8%
5	5-6 days a week	32295	15.3%
6	Once daily	37367	17.7%
7	More than once daily	40540	19.2%
Sysmiss		2013	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # vegetables: Eat vegetables

**Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=211083 /-] [Invalid=2512 /-]

**Literal question** MQ6. How many times a week do you usually eat or drink .... ?  
B. Vegetables

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	9591	4.5%
2	Less than once a week	13221	6.3%
3	Once a week	22799	10.8%
4	2-4 days a week	55336	26.2%
5	5-6 days a week	40127	19.0%
6	Once daily	39622	18.8%
7	More than once daily	30387	14.4%
Sysmiss		2512	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # sweets: Eat sweets

**Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=211123 /-] [Invalid=2472 /-]

**Literal question** MQ6. How many times a week do you usually eat or drink .... ?  
C. Sweets (candy or chocolate)

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	7648	3.6%
2	Less than once a week	23582	11.2%
3	Once a week	39440	18.7%
4	2-4 days a week	60395	28.6%
5	5-6 days a week	28269	13.4%
6	Once daily	26584	12.6%
7	More than once daily	25205	11.9%
Sysmiss		2472	

## File : HBSC-2010, OpenAccess, ed. 1.0

### # sweets: Eat sweets

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # softdrinks: Drink coke/soft drinks

**Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=211261 /-] [Invalid=2334 /-]

**Literal question** MQ6. How many times a week do you usually eat or drink .... ?  
D. Coke or other soft drinks that contain sugar

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Never	19107	9.0%
2	Less than once a week	41759	19.8%
3	Once a week	37454	17.7%
4	2-4 days a week	47176	22.3%
5	5-6 days a week	21580	10.2%
6	Once daily	17546	8.3%
7	More than once daily	26639	12.6%
Sysmiss		2334	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ondiet: On a diet

**Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=211127 /-] [Invalid=2468 /-]

**Literal question** MQ7. At present are you on a diet or doing something else to lose weight?

Value	Label	Cases	Percentage
1	No, weight fine	120099	56.9%
2	No, need to lose	42022	19.9%
3	No, need to put on	19059	9.0%
4	Yes	29947	14.2%
Sysmiss		2468	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # thinkbody: Think about body

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=209848 /-] [Invalid=3747 /-]

**Literal question** MQ8. Do you think your body is.....?

Value	Label	Cases	Percentage
1	Much too thin	5076	2.4%
2	A bit too thin	25504	12.2%
3	About right	119737	57.1%
4	A bit too fat	52157	24.9%
5	Much too fat	7374	3.5%
Sysmiss		3747	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # bodyweight: Weight

**Information** [Type= continuous] [Format=numeric] [Range= 20-150] [Missing=\*]

## File : HBSC-2010, OpenAccess, ed. 1.0

### # bodyweight: Weight

Statistics [NW/ W] [Valid=187542 /-] [Invalid=26053 /-] [Mean=51.419 /-] [StdDev=13.348 /-]

Literal question MQ9. How much do you weigh without clothes?

### # bodyheight: Height

Information [Type= continuous] [Format=numeric] [Range= 120-203] [Missing=\*]

Statistics [NW/ W] [Valid=185577 /-] [Invalid=28018 /-] [Mean=161.528 /-] [StdDev=11.9 /-]

Literal question MQ10. How tall are you without shoes?

### # MBMI: Body Mass Index

Information [Type= continuous] [Format=numeric] [Range= 10.2809573361082-45.5621301775148] [Missing=\*/0]

Statistics [NW/ W] [Valid=174985 /-] [Invalid=38610 /-] [Mean=19.607 /-] [StdDev=3.468 /-]

Value	Label	Cases	Percentage
0	Outside overall range	220	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # toothbr: Tooth brushing

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

Statistics [NW/ W] [Valid=211968 /-] [Invalid=1627 /-]

Literal question MQ11. How often do you brush your teeth?

Value	Label	Cases	Percentage
1	More than once a day	137739	65.0%
2	Once a day	60751	28.7%
3	Once a week	9069	4.3%
4	Less than weekly	2647	1.2%
5	Never	1762	0.8%
Sysmiss		1627	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # physact60: Physical activity past 7 days

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=\*]

Statistics [NW/ W] [Valid=208705 /-] [Invalid=4890 /-]

Literal question MQ12.

Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, school activities, playing with friends, or walking to school. Some examples of physical activity are running, brisk walking, rollerblading, biking, dancing, skateboarding, swimming, soccer, basketball, football, & surfing. [COUNTRY SPECIFIC EXAMPLES CAN BE GIVEN]

For this next question, add up all the time you spent in physical activity each day.

Over the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Value	Label	Cases	Percentage
0	0 days	9860	4.7%
1	1 day	15928	7.6%
2	2 days	28144	13.5%
3	3 days	34496	16.5%
4	4 days	32182	15.4%
5	5 days	29774	14.3%

## File : HBSC-2010, OpenAccess, ed. 1.0

### # physact60: Physical activity past 7 days

Value	Label	Cases	Percentage
6	6 days	19674	9.4%
7	7 days	38647	18.5%
Sysmiss		4890	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # timeexce: Exercise - times a week

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=206998 /-] [Invalid=6597 /-]
<b>Literal question</b>	MQ13. OUTSIDE SCHOOL HOURS: How often do you usually exercise in your free time so much that you get out of breath or sweat?

Value	Label	Cases	Percentage
1	Every day	37889	18.3%
2	4-6 times	46243	22.3%
3	2-3 times	61143	29.5%
4	Once a week	30175	14.6%
5	Once a month	8840	4.3%
6	Less than once a month	9944	4.8%
7	Never	12764	6.2%
Sysmiss		6597	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # hourexc: Exercise - hours a week

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=205600 /-] [Invalid=7995 /-]
<b>Literal question</b>	MQ14. OUTSIDE SCHOOL HOURS: How many hours a week do you usually exercise in your free time so much that you get out of breath or sweat?

Value	Label	Cases	Percentage
1	None	23369	11.4%
2	About 1/2 hour	31889	15.5%
3	About 1 hour	45398	22.1%
4	About 2-3 hours	53100	25.8%
5	About 4-6 hours	29597	14.4%
6	About 7 hours or more	22247	10.8%
Sysmiss		7995	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # tvwd: Watch tv/dvd/video, weekdays

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=204638 /-] [Invalid=8957 /-]
<b>Literal question</b>	MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time? A. Weekdays

Value	Label	Cases	Percentage
1	None at all	12284	6.0%
2	About half an hour a day	25509	12.5%
3	About 1 hour a day	41980	20.5%



## File : HBSC-2010, OpenAccess, ed. 1.0

### # tvwd: Watch tv/dvd/video, weekdays

Value	Label	Cases	Percentage
4	About 2 hours a day	50466	24.7%
5	About 3 hours a day	33930	16.6%
6	About 4 hours a day	18509	9.0%
7	About 5 hours a day	9189	4.5%
8	About 6 hours a day	3858	1.9%
9	About 7 or more hours a day	8913	4.4%
Sysmiss		8957	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # tvwe: Watch tv/dvd/video, weekends

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=203129 /-] [Invalid=10466 /-]
<b>Literal question</b>	MQ15. About how many hours a day do you usually watch television (including videos and DVDs) in your free time? B. Weekends

Value	Label	Cases	Percentage
1	None at all	8369	4.1%
2	About half an hour a day	13588	6.7%
3	About 1 hour a day	25554	12.6%
4	About 2 hours a day	42192	20.8%
5	About 3 hours a day	39184	19.3%
6	About 4 hours a day	29971	14.8%
7	About 5 hours a day	18394	9.1%
8	About 6 hours a day	9657	4.8%
9	About 7 or more hours a day	16220	8.0%
Sysmiss		10466	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # playgamewd: Play computer games, weekdays

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=198165 /-] [Invalid=15430 /-]
<b>Literal question</b>	MQ16. About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube etc.) in your free time? A. Weekdays
<b>Post-question</b>	Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	None at all	58198	29.4%
2	About half an hour a day	34365	17.3%
3	About 1 hour a day	35027	17.7%
4	About 2 hours a day	28490	14.4%
5	About 3 hours a day	16916	8.5%
6	About 4 hours a day	9847	5.0%
7	About 5 hours a day	5732	2.9%
8	About 6 hours a day	2729	1.4%
9	About 7 or more hours a day	6861	3.5%

## File : HBSC-2010, OpenAccess, ed. 1.0

### # playgamewd: Play computer games, weekdays

Value	Label	Cases	Percentage
Sysmiss		15430	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # playgamewe: Play computer games, weekends

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=197019 /-] [Invalid=16576 /-]
<b>Literal question</b>	MQ16. About how many hours a day do you usually play games on a computer or games console (Playstation, Xbox, GameCube etc.) in your free time? B. Weekends
<b>Post-question</b>	Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	None at all	43092	21.9%
2	About half an hour a day	26601	13.5%
3	About 1 hour a day	30010	15.2%
4	About 2 hours a day	29779	15.1%
5	About 3 hours a day	21628	11.0%
6	About 4 hours a day	15394	7.8%
7	About 5 hours a day	10567	5.4%
8	About 6 hours a day	6437	3.3%
9	About 7 or more hours a day	13511	6.9%
Sysmiss		16576	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # compusewd: Computer use, weekdays

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=204388 /-] [Invalid=9207 /-]
<b>Literal question</b>	MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time? A. Weekdays
<b>Post-question</b>	Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	None at all	33383	16.3%
2	About half an hour a day	38026	18.6%
3	About 1 hour a day	43342	21.2%
4	About 2 hours a day	35989	17.6%
5	About 3 hours a day	21979	10.8%
6	About 4 hours a day	12737	6.2%
7	About 5 hours a day	7390	3.6%
8	About 6 hours a day	3682	1.8%
9	About 7 or more hours a day	7860	3.8%
Sysmiss		9207	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # compusewe: Computer use, weekends

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	--

## File : HBSC-2010, OpenAccess, ed. 1.0

### # compusewe: Computer use, weekends

**Statistics [NW/ W]** [Valid=202957 /-] [Invalid=10638 /-]

**Literal question** MQ17. About how many hours a day do you usually use a computer for chatting on-line, internet, emailing, homework etc. in your free time?  
B. Weekends

**Post-question** Please tick one box for weekdays and one box for weekend

Value	Label	Cases	Percentage
1	None at all	31310	15.4%
2	About half an hour a day	28806	14.2%
3	About 1 hour a day	34555	17.0%
4	About 2 hours a day	33831	16.7%
5	About 3 hours a day	25360	12.5%
6	About 4 hours a day	17541	8.6%
7	About 5 hours a day	11297	5.6%
8	About 6 hours a day	6953	3.4%
9	About 7 or more hours a day	13304	6.6%
Sysmiss		10638	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # triedsSmoke: Tried smoking

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=205148 /-] [Invalid=8447 /-]

**Literal question** MQ18. Have you ever smoked tobacco? (At least one cigarette, cigar or pipe)

Value	Label	Cases	Percentage
1	Yes	57836	28.2%
2	No	147312	71.8%
Sysmiss		8447	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # smoking: Smoking

**Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=205392 /-] [Invalid=8203 /-]

**Literal question** MQ19. How often do you smoke tobacco at present?

Value	Label	Cases	Percentage
1	Every day	10549	5.1%
2	Once a week	5286	2.6%
3	Less than once a week	8022	3.9%
4	Don't	181535	88.4%
Sysmiss		8203	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # beer: Beer

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=200586 /-] [Invalid=13009 /-]

**Literal question** MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.  
A. Beer

## File : HBSC-2010, OpenAccess, ed. 1.0

### # beer: Beer

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	2152	1.1%
2	Every week	10000	5.0%
3	Every month	11662	5.8%
4	Rarely	42178	21.0%
5	Never	134594	67.1%
Sysmiss		13009	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # wine: Wine

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=199678 /-] [Invalid=13917 /-]

**Literal question** MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.  
B. Wine

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1475	0.7%
2	Every week	4229	2.1%
3	Every month	7923	4.0%
4	Rarely	41481	20.8%
5	Never	144570	72.4%
Sysmiss		13917	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # spirits: Spirits

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=199291 /-] [Invalid=14304 /-]

**Literal question** MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.  
C. Spirits

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1489	0.7%
2	Every week	6112	3.1%
3	Every month	11596	5.8%
4	Rarely	29930	15.0%
5	Never	150164	75.3%
Sysmiss		14304	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # alcopops: Alcopops

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=197036 /-] [Invalid=16559 /-]

## File : HBSC-2010, OpenAccess, ed. 1.0

### # alcopops: Alcopops

**Literal question** MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.  
D. Acopops

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1723	0.9%
2	Every week	6833	3.5%
3	Every month	13149	6.7%
4	Rarely	33742	17.1%
5	Never	141589	71.9%
Sysmiss		16559	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # otheralco: Other alcohol drink

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=187671 /-] [Invalid=25924 /-]

**Literal question** MQ20. At present, how often do you drink anything alcoholic, such as beer, wine or spirits like...[Add appropriate examples]? Try to include even those times when you only drink a small amount.  
H. Other alcoholic drink

**Post-question** Please tick one box for each line

Value	Label	Cases	Percentage
1	Every day	1988	1.1%
2	Every week	6032	3.2%
3	Every month	10179	5.4%
4	Rarely	33514	17.9%
5	Never	135958	72.4%
Sysmiss		25924	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # drunk: Been drunk

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=201474 /-] [Invalid=12121 /-]

**Literal question** MQ21. Have you ever had so much alcohol that you were really drunk?

Value	Label	Cases	Percentage
1	Never	151098	75.0%
2	Once	21677	10.8%
3	2-3 times	14782	7.3%
4	4-10 times	6960	3.5%
5	Yes, more than 10 times	6957	3.5%
Sysmiss		12121	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # agealco: Age of first alcohol drink

**Information** [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=107467 /-] [Invalid=106128 /-]

**Literal question** MQ22. At what age did you first do the following things?

## File : HBSC-2010, OpenAccess, ed. 1.0

### # agealco: Age of first alcohol drink

A. Drink alcohol (more than a small amount)

Value	Label	Cases	Percentage
1	Never	46657	43.4%
2	11 years or younger	11839	11.0%
3	12 years	10647	9.9%
4	13 years	13756	12.8%
5	14 years	15238	14.2%
6	15 years	8579	8.0%
7	16 years or older	751	0.7%
Sysmiss		106128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # agedrunk: Age of first drunk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=106960 /-] [Invalid=106635 /-]
<b>Literal question</b>	MQ22. At what age did you first do the following things? B. Get drunk

Value	Label	Cases	Percentage
1	Never	71466	66.8%
2	11 years or younger	2519	2.4%
3	12 years	3392	3.2%
4	13 years	6980	6.5%
5	14 years	11635	10.9%
6	15 years	10004	9.4%
7	16 years or older	964	0.9%
Sysmiss		106635	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # agecigarette: Age of first cigarette

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=105999 /-] [Invalid=107596 /-]
<b>Literal question</b>	MQ22. At what age did you first do the following things? C. Smoke a cigarette (more than a puff)

Value	Label	Cases	Percentage
1	Never	71090	67.1%
2	11 years or younger	7166	6.8%
3	12 years	5822	5.5%
4	13 years	7567	7.1%
5	14 years	8464	8.0%
6	15 years	5326	5.0%
7	16 years or older	564	0.5%
Sysmiss		107596	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # smoke30d: Smoked cigarettes last 30 days

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
--------------------	--

## File : HBSC-2010, OpenAccess, ed. 1.0

### # smoke30d: Smoked cigarettes last 30 days

Statistics [NW/ W] [Valid=161207 /-] [Invalid=52388 /-]

Value	Label	Cases	Percentage
1	Never	136922	84.9%
2	1-2 times	8578	5.3%
3	3-5 times	2962	1.8%
4	6-9 times	2033	1.3%
5	10-19 times	2380	1.5%
6	20-39 times	2312	1.4%
7	40 times or more	6020	3.7%
Sysmiss		52388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # drink30d: Drunk alcohol last 30 days

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

Statistics [NW/ W] [Valid=162140 /-] [Invalid=51455 /-]

Value	Label	Cases	Percentage
1	Never	107593	66.4%
2	1-2 times	32004	19.7%
3	3-5 times	11777	7.3%
4	6-9 times	5113	3.2%
5	10-19 times	3034	1.9%
6	20-39 times	1167	0.7%
7	40 times or more	1452	0.9%
Sysmiss		51455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # drunk30d: Been drunk last 30 days

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=\*]

Statistics [NW/ W] [Valid=160761 /-] [Invalid=52834 /-]

Value	Label	Cases	Percentage
1	Never	139553	86.8%
2	1-2 times	14079	8.8%
3	3-5 times	3585	2.2%
4	4-9 times	1545	1.0%
5	10-19 times	831	0.5%
6	20-39 times	322	0.2%
7	40 times or more	846	0.5%
Sysmiss		52834	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># cannabisltm: Cannabis life time</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=87136 /-] [Invalid=126459 /-]		
<b>Literal question</b>	MQ24. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES] .....? A. In your life		
<b>Post-question</b>	Please tick one box for each line.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Never	74582	85.6%
2	1-2 times	5542	6.4%
3	3-5 times	1929	2.2%
4	6-9 times	1157	1.3%
5	10-19 times	1123	1.3%
6	20-39 times	791	0.9%
7	40 times or more	2012	2.3%
Sysmiss		126459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># cannabis12m: Cannabis last 12 months</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=85904 /-] [Invalid=127691 /-]		
<b>Literal question</b>	MQ24. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES] .....? B. In the last 12 months		
<b>Post-question</b>	Please tick one box for each line.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Never	76160	88.7%
2	1-2 times	4289	5.0%
3	3-5 times	1563	1.8%
4	6-9 times	1050	1.2%
5	10-19 times	874	1.0%
6	20-39 times	646	0.8%
7	40 times or more	1322	1.5%
Sysmiss		127691	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># cannabis30d: Cannabis last 30 days</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=85802 /-] [Invalid=127793 /-]		
<b>Literal question</b>	MQ24. Have you ever taken cannabis [INSERT APPROPRIATE STREET NAMES] .....? C. In the last 30 days		
<b>Post-question</b>	Please tick one box for each line.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Never	80189	93.5%
2	1-2 times	2558	3.0%
3	3-5 times	1052	1.2%
4	6-9 times	597	0.7%
5	10-19 times	465	0.5%
6	20-39 times	285	0.3%



<b># cannabis30d: Cannabis last 30 days</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
7	40 times or more	656	0.8%
Sysmiss		127793	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># hadsex: Sexual intercourse</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=74505 /-] [Invalid=139090 /-]		
<b>Literal question</b>	MQ25. Have you ever had sexual intercourse (sometimes this is called "making love," "having sex," or "going all the way" or other appropriate colloquial terms)?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	16672	22.4%
2	No	57833	77.6%
Sysmiss		139090	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># agesex: Age of first sexual intercourse</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=64770 /-] [Invalid=148825 /-]		
<b>Literal question</b>	MQ26. Age of first sexual intercourse		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Never	49642	76.6%
2	11 years old or younger	1041	1.6%
3	12 years old	737	1.1%
4	13 years old	2278	3.5%
5	14 years old	5110	7.9%
6	15 years old	5432	8.4%
7	16 years old	474	0.7%
8	17 years old or older	56	0.1%
Sysmiss		148825	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contraceptnever: Contraceptive-never</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=44748 /-] [Invalid=168847 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? A. I have never had sexual intercourse		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	44748	100.0%
2	No	0	
Sysmiss		168847	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contraceptnomet: Contraceptive-no method</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3676 /-] [Invalid=209919 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? B. No method was used to prevent pregnancy		

<b># contraceptnomet: Contraceptive-no method</b>			
Value	Label	Cases	Percentage
1	Yes	3676	100.0%
2	No	0	
Sysmiss		209919	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contraceptpill: Contraceptive-birth control pills</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=15900 /-] [Invalid=197695 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? C. Birth control pills		
Value	Label	Cases	Percentage
1	Yes	4009	25.2%
2	No	11891	74.8%
Sysmiss		197695	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contraceptcondom: Contraceptive-condoms</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=18752 /-] [Invalid=194843 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? D. Condoms		
Value	Label	Cases	Percentage
1	Yes	11583	61.8%
2	No	7169	38.2%
Sysmiss		194843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contraceptwithdraw: Contraceptive-withdrawal</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=14662 /-] [Invalid=198933 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? E. Withdrawal		
Value	Label	Cases	Percentage
1	Yes	2144	14.6%
2	No	12518	85.4%
Sysmiss		198933	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contraceptother: Contraceptive-other method</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=14213 /-] [Invalid=199382 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? - Some other method - National choice option  (Yes on this variable includes those who answered Yes to "some other method" and those who answered yes to "national choice option".)		

<b># contracepther: Contraceptive-other method</b>			
Value	Label	Cases	Percentage
1	Yes	1216	8.6%
2	No	12997	91.4%
Sysmiss		199382	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># contracepnotsure: Contraceptive-not sure</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=16820 /-] [Invalid=196775 /-]		
<b>Literal question</b>	MQ27. The last time you had sexual intercourse, what method(s) did you or your partner use to prevent pregnancy? G. Not sure		
Value	Label	Cases	Percentage
1	Yes	978	5.8%
2	No	15842	94.2%
Sysmiss		196775	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># condomuse: Condom use, last intercourse</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=62606 /-] [Invalid=150989 /-]		
<b>Literal question</b>	MQ28. The last time you had sexual intercourse, did you or your partner use a condom?		
Value	Label	Cases	Percentage
1	Never	47797	76.3%
2	Yes	10962	17.5%
3	No	3847	6.1%
Sysmiss		150989	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># injured12m: Times injured</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208468 /-] [Invalid=5127 /-]		
<b>Literal question</b>	MQ29. Many young people get hurt or injured from activities such as playing sports or fighting with others at different places such as the street or home. Injuries can include being poisoned or burned. Injuries do not include illnesses such as Measles or the Flu. The following questions are about injuries you may have had during the past 12 months.		
Value	Label	Cases	Percentage
1	Not last 12 months	116431	55.9%
2	1 time	49391	23.7%
3	2 times	22319	10.7%
4	3 times	9721	4.7%
5	4 times or more	10606	5.1%
Sysmiss		5127	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fight12m: Times physical fight</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=192208 /-] [Invalid=21387 /-]		
<b>Literal question</b>	MQ30. During the past 12 months, how many times were you in a physical fight?		

<b># fight12m: Times physical fight</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	None	122729	63.9%
2	1 time	31745	16.5%
3	2 times	15125	7.9%
4	3 times	8019	4.2%
5	4 times or more	14590	7.6%
Sysmiss		21387	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># beenbullied: Bullied past 2 months</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=202403 /-] [Invalid=11192 /-]		
<b>Literal question</b>	MQ31. Here are some questions about bullying. We say a student is BEING BULLIED when another student, or a group of students, say or do nasty and unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she does not like or when he or she is deliberately left out of things. But it is NOT BULLYING when two students of about the same strength or power argue or fight. It is also not bullying when a student is teased in a friendly and playful way. How often have you been bullied at school in the past couple of months?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Haven't	143235	70.8%
2	Once or twice	36346	18.0%
3	2-3 times per month	9140	4.5%
4	Once a week	5891	2.9%
5	Several times a week	7791	3.8%
Sysmiss		11192	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># bulliedothers: Bullied others past 2 months</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=202294 /-] [Invalid=11301 /-]		
<b>Literal question</b>	MQ32. How often have you taken part in bullying another student(s) at school in the past couple of months?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Haven't	139232	68.8%
2	Once or twice	42993	21.3%
3	2-3 times per month	9140	4.5%
4	Once a week	5141	2.5%
5	Several times a week	5788	2.9%
Sysmiss		11301	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># motherhome1: Mother in main home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=206251 /-] [Invalid=7344 /-]		
<b>Literal question</b>	MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. A. Mother		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	192340	93.3%









<b># motherhome1: Mother in main home</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
2	No	13911	6.7%
Sysmiss		7344	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fatherhome1: Father in main home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=206032 /-] [Invalid=7563 /-]		
<b>Literal question</b>	MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. B. Father		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	157182	76.3%
2	No	48850	23.7%
Sysmiss		7563	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># stepmohome1: Stepmother in main home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=205577 /-] [Invalid=8018 /-]		
<b>Literal question</b>	MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. C. Stepmother		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	4539	2.2%
2	No	201038	97.8%
Sysmiss		8018	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># stepfahome1: Stepfather in main home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=205631 /-] [Invalid=7964 /-]		
<b>Literal question</b>	MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. D. Stepfather		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	15628	7.6%
2	No	190003	92.4%
Sysmiss		7964	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># grandmohome1: Grandmother in main home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=205284 /-] [Invalid=8311 /-]		
<b>Literal question</b>	MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. E. Grandmother		

<b># grandmohome1: Grandmother in main home</b>			
Value	Label	Cases	Percentage
1	Yes	26927	13.1%
2	No	178357	86.9%
Sysmiss		8311	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># grandfahome1: Grandfather in main home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=205118 /-] [Invalid=8477 /-]	
<b>Literal question</b>		MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. F. Grandfather	
Value	Label	Cases	Percentage
1	Yes	16683	8.1%
2	No	188435	91.9%
Sysmiss		8477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fosterhome1: Living in foster/child home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=205662 /-] [Invalid=7933 /-]	
<b>Literal question</b>		MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. G. Living in Foster home or children's home	
Value	Label	Cases	Percentage
1	Yes	1647	0.8%
2	No	204015	99.2%
Sysmiss		7933	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># elsehome1: Living with someone else or somewhere else</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=199315 /-] [Invalid=14280 /-]	
<b>Literal question</b>		MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there. H. Someone or somewhere els: pleas writ it down	
Value	Label	Cases	Percentage
1	Yes	6493	3.3%
2	No	192822	96.7%
Sysmiss		14280	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># brothershome1: No. brothers main home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=189310 /-] [Invalid=24285 /-] [Mean=0.915 /-] [StdDev=1.012 /-]	
<b>Literal question</b>		MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there.	

<b># brothershome1: No. brothers main home</b>			
		Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please write in the number or write 0 (zero) if there are none. Please do not count yourself. I. How many brothers?	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70469	37.2%
1		82610	43.6%
1.5		1	0.0%
2		25767	13.6%
3		6650	3.5%
4		2104	1.1%
5		818	0.4%
6		354	0.2%
7		244	0.1%
8		110	0.1%
9		56	0.0%
10		44	0.0%
11		43	0.0%
12		18	0.0%
13		11	0.0%
14		3	0.0%
15		4	0.0%
16		4	0.0%
Sysmiss		24285	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># sistershome1: No. sisters main home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188216 /-] [Invalid=25379 /-] [Mean=0.872 /-] [StdDev=1.01 /-]		
<b>Literal question</b>	<p>MQ33. All families are different (for example, not everyone lives with both their parents, sometimes people live with just one parent, or they have two homes or live with two families) and we would like to know about yours. Please answer this first question for the home where you live all or most of the time and tick the people who live there.</p> <p>Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please write in the number or write 0 (zero) if there are none. Please do not count yourself. J. How many sisters?</p>		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		76032	40.4%
1		77583	41.2%
2		24575	13.1%
3		6287	3.3%
4		2135	1.1%
5		766	0.4%
6		346	0.2%
7		229	0.1%
8		91	0.0%
9		62	0.0%
10		35	0.0%
11		45	0.0%
















<b># sistershome1: No. sisters main home</b>			
Value	Label	Cases	Percentage
12		9	0.0%
13		2	0.0%
14		6	0.0%
15		7	0.0%
16		6	0.0%
Sysmiss		25379	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># havehome2: Have second home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=196538 /-] [Invalid=17057 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced?		
Value	Label	Cases	Percentage
1	No	159370	81.1%
2	Yes	37168	18.9%
Sysmiss		17057	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># stayhome2: How often stay in second home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=36044 /-] [Invalid=177551 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? A. How often do you stay in second home?		
Value	Label	Cases	Percentage
1	Half	7166	19.9%
2	Regularly less than half	9452	26.2%
3	Sometimes	9807	27.2%
4	Hardly ever	9619	26.7%
Sysmiss		177551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># motherhome2: Mother in second home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108011 /-] [Invalid=105584 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? B. Mother		
<b>Post-question</b>	Please tick the people who live there:		
Value	Label	Cases	Percentage
1	Yes	12892	11.9%
2	No	95119	88.1%
Sysmiss		105584	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fatherhome2: Father in second home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=108158 /-] [Invalid=105437 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced?		



<b># fatherhome2: Father in second home</b>			
		B. Father	
<b>Post-question</b>		Please tick the people who live there:	
Value	Label	Cases	Percentage
1	Yes	27733	 25.6%
2	No	80425	 74.4%
Sysmiss		105437	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># stepmohome2: Stepmother in second home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107984 /-] [Invalid=105611 /-]	
<b>Literal question</b>		MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? C. Stepmother	
<b>Post-question</b>		Please tick the people who live there:	
Value	Label	Cases	Percentage
1	Yes	11750	 10.9%
2	No	96234	 89.1%
Sysmiss		105611	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># stepfahome2: Stepfather in second home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107913 /-] [Invalid=105682 /-]	
<b>Literal question</b>		MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? D. Stepfather	
<b>Post-question</b>		Please tick the people who live there:	
Value	Label	Cases	Percentage
1	Yes	3334	 3.1%
2	No	104579	 96.9%
Sysmiss		105682	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># grandmohome2: Grandmother in second home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107958 /-] [Invalid=105637 /-]	
<b>Literal question</b>		MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? E. Grandmother	
<b>Post-question</b>		Please tick the people who live there:	
Value	Label	Cases	Percentage
1	Yes	5712	 5.3%
2	No	102246	 94.7%
Sysmiss		105637	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># grandfahome2: Grandfather in second home</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=107924 /-] [Invalid=105671 /-]	

<b># grandfahome2: Grandfather in second home</b>			
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? F: Grandfather		
<b>Post-question</b>	Please tick the people who live there:		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	3881	3.6%
2	No	104043	96.4%
Sysmiss		105671	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fosterhome2: Living in foster/child home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=107888 /-] [Invalid=105707 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? G. Living in foster home/children's home		
<b>Post-question</b>	Please tick the people who live there:		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	497	0.5%
2	No	107391	99.5%
Sysmiss		105707	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># elsehome2: Living with someone else or somewhere else</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=107763 /-] [Invalid=105832 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced? H. Somone or somewhere els: pleas writ it down ...		
<b>Post-question</b>	Please tick the people who live there:		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Yes	2068	1.9%
2	No	105695	98.1%
Sysmiss		105832	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># brothershome2: No. brothers second home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40444 /-] [Invalid=173151 /-] [Mean=0.635 /-] [StdDev=1.054 /-]		
<b>Literal question</b>	MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced?  Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please do not include those you already listed in the question above or yourself. Write in the number or write 0 (zero) if there are none. I. How many brothers?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		24092	59.6%
1		10548	26.1%
2		4049	10.0%
3		1054	2.6%
4		320	0.8%
5		148	0.4%

<b># brothershome2: No. brothers second home</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
6		74	0.2%
7		59	0.1%
8		24	0.1%
9		17	0.0%
10		19	0.0%
11		20	0.0%
12		10	0.0%
13		4	0.0%
14		3	0.0%
15		2	0.0%
16		1	0.0%
Sysmiss		173151	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># sistershome2: No. sisters second home</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40860 /-] [Invalid=172735 /-] [Mean=0.59 /-] [StdDev=1.016 /-]		
<b>Literal question</b>	<p>MQ34. Do you have another home or another family, such as the case when your parents are separated or divorced?</p> <p>Please say how many brothers and sisters live here (including half, step or foster brothers and sisters). Please do not include those you already listed in the question above or yourself. Write in the number or write 0 (zero) if there are none.</p> <p>J. How many sisters?</p>		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		25388	62.1%
1		10159	24.9%
2		3611	8.8%
3		1025	2.5%
4		344	0.8%
5		129	0.3%
6		57	0.1%
7		66	0.2%
8		17	0.0%
9		20	0.0%
10		17	0.0%
11		11	0.0%
12		8	0.0%
13		3	0.0%
14		1	0.0%
15		3	0.0%
16		1	0.0%
Sysmiss		172735	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkfather: Talk to father</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=198499 /-] [Invalid=15096 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you?		

<b># talkfather: Talk to father</b>			
	A. Father		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Very easy	52769	 26.6%
2	Easy	71463	 36.0%
3	Difficult	41266	 20.8%
4	Very difficult	19383	 9.8%
5	Don` t have or see	13618	 6.9%
Sysmiss		15096	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkstepfa: Talk to stepfather</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=165826 /-] [Invalid=47769 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? B. Stepfather		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Very easy	7029	 4.2%
2	Easy	11188	 6.7%
3	Difficult	9210	 5.6%
4	Very difficult	8514	 5.1%
5	Don` t have or see	129885	 78.3%
Sysmiss		47769	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkmother: Talk to mother</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=197967 /-] [Invalid=15628 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? C. Mother		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Very easy	89591	 45.3%
2	Easy	71127	 35.9%
3	Difficult	23879	 12.1%
4	Very difficult	8584	 4.3%
5	Don` t have or see	4786	 2.4%
Sysmiss		15628	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkstepmo: Talk to stepmother</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=163980 /-] [Invalid=49615 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? D. Stepmother		
<b>Post-question</b>	Please tick one box for each line		
















<b># talkstepmo: Talk to stepmother</b>			
Value	Label	Cases	Percentage
1	Very easy	5681	3.5%
2	Easy	8781	5.4%
3	Difficult	7670	4.7%
4	Very difficult	7155	4.4%
5	Don't have or see	134693	82.1%
Sysmiss		49615	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkbrother: Talk to elder brother</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=177743 /-] [Invalid=35852 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? E. Elder brother(s)		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	26268	14.8%
2	Easy	29557	16.6%
3	Difficult	18834	10.6%
4	Very difficult	12700	7.1%
5	Don't have or see this person	90384	50.9%
Sysmiss		35852	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talksister: Talk to elder sister</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=176288 /-] [Invalid=37307 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? F. Elder sister(s)		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	32724	18.6%
2	Easy	30909	17.5%
3	Difficult	13700	7.8%
4	Very difficult	8476	4.8%
5	Don't have or see	90479	51.3%
Sysmiss		37307	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkbestfriend: Talk to best friend</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=193212 /-] [Invalid=20383 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? G. Best friend		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	96989	50.2%
















<b># talkbestfriend: Talk to best friend</b>			
Value	Label	Cases	Percentage
2	Easy	68006	35.2%
3	Difficult	15918	8.2%
4	Very difficult	6157	3.2%
5	Don't have or see	6142	3.2%
Sysmiss		20383	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talksamesex: Talk to friend same sex</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=192011 /-] [Invalid=21584 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? H. Friend of the same sex		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	66714	34.7%
2	Easy	84034	43.8%
3	Difficult	24823	12.9%
4	Very difficult	9261	4.8%
5	Don't have or see	7179	3.7%
Sysmiss		21584	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># talkopposex: Talk to friend opposite sex</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=190243 /-] [Invalid=23352 /-]		
<b>Literal question</b>	MQ35. How easy is it for you to talk to the following persons about things that really bother you? I. Friend of oppsite sex?		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Very easy	37519	19.7%
2	Easy	64617	34.0%
3	Difficult	46866	24.6%
4	Very difficult	24301	12.8%
5	Don't have or see	16940	8.9%
Sysmiss		23352	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># malefriends: Close male friends</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=204701 /-] [Invalid=8894 /-]		
<b>Literal question</b>	MQ36. At present, how many close male and female friends do you have? A. Male friends		
Value	Label	Cases	Percentage
1	None	18714	9.1%
2	One	19553	9.6%
3	Two	26756	13.1%

<b># malefriends: Close male friends</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
4	Three or more	139678	68.2%
Sysmiss		8894	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># femalefriends: Close female friends</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=202807 /-] [Invalid=10788 /-]		
<b>Literal question</b>	MQ36. At present, how many close male and female friends do you have? B. Female friends		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	None	17188	8.5%
2	One	18660	9.2%
3	Two	25621	12.6%
4	Three or more	141338	69.7%
Sysmiss		10788	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># friendsafternoon: After school with friends</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=198032 /-] [Invalid=15563 /-]		
<b>Literal question</b>	MQ37. How many days a week do you usually spend time with friends right after school?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	0 days	22636	11.4%
1	1 day	26801	13.5%
2	2 days	35995	18.2%
3	3 days	39146	19.8%
4	4 days	21290	10.8%
5	5 days	41325	20.9%
6	6 days	10839	5.5%
Sysmiss		15563	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># friendsevening: Evenings with friends</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=205629 /-] [Invalid=7966 /-]		
<b>Literal question</b>	MQ38. How many evenings per week do you usually spend out with your friends?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	0 evenings	56502	27.5%
1	1 evening	35765	17.4%
2	2 evenings	36550	17.8%
3	3 evenings	27202	13.2%
4	4 evenings	16132	7.8%
5	5 evenings	12280	6.0%
6	6 evenings	6803	3.3%
7	7 evenings	14395	7.0%
Sysmiss		7966	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># emedia6m: E-&amp; media communication with friends</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=203196 /-] [Invalid=10399 /-]		
<b>Literal question</b>	MQ39. How often do you talk to your friend(s) on the phone or send them text messages or have contact through the internet?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Rarely or never	26406	13.0%
2	1-2 days	29180	14.4%
3	3-4 days	31628	15.6%
4	5-6 days	25693	12.6%
5	Every day	90289	44.4%
Sysmiss		10399	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># headache: Headache</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=209575 /-] [Invalid=4020 /-]		



<b># headache: Headache</b>			
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following...? A. Headache		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	About every day	12675	 6.0%
2	More than once a week	23946	 11.4%
3	About every week	26815	 12.8%
4	About every month	46501	 22.2%
5	Rarely or never	99638	 47.5%
Sysmiss		4020	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># stomachache: Stomach-ache</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=209020 /-] [Invalid=4575 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following...? B. Stomach-ache		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	About every day	7213	 3.5%
2	More than once a week	15803	 7.6%
3	About every week	20731	 9.9%
4	About every month	58763	 28.1%
5	Rarely or never	106510	 51.0%
Sysmiss		4575	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># backache: Back ache</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208707 /-] [Invalid=4888 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following...? C. Back ache		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	About every day	11929	 5.7%
2	More than once a week	13832	 6.6%
3	About every week	18198	 8.7%
4	About every month	36315	 17.4%
5	Rarely or never	128433	 61.5%
Sysmiss		4888	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fellow: Feeling low</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208518 /-] [Invalid=5077 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following...? D. Felling low		

<b># fellow: Feeling low</b>			
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	About every day	13686	 6.6%
2	More than once a week	20051	 9.6%
3	About every week	24334	 11.7%
4	About every month	44666	 21.4%
5	Rarely or never	105781	 50.7%
Sysmiss		5077	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># irritable: Irritability or bad temper</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208342 /-] [Invalid=5253 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following....? D. Irritability or bad temper		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	About every day	17375	 8.3%
2	More than once a week	29775	 14.3%
3	About every week	38213	 18.3%
4	About every month	54117	 26.0%
5	Rarely or never	68862	 33.1%
Sysmiss		5253	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># nervous: Feeling nervous</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208306 /-] [Invalid=5289 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following....? E. Feeling nervous		
<b>Post-question</b>	Please tick one box for each line		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	About every day	17171	 8.2%
2	More than once a week	25400	 12.2%
3	About every week	33478	 16.1%
4	About every month	49904	 24.0%
5	Rarely or never	82353	 39.5%
Sysmiss		5289	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># sleepdifficulty: Difficulties in sleeping</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208447 /-] [Invalid=5148 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following....? F. Difficulties in getting to sleep		
<b>Post-question</b>	Please tick one box for each line		

<b># sleepdifficulty: Difficulties in sleeping</b>			
Value	Label	Cases	Percentage
1	About every day	21065	10.1%
2	More than once a week	20875	10.0%
3	About every week	23075	11.1%
4	About every month	34070	16.3%
5	Rarely or never	109362	52.5%
Sysmiss		5148	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># dizzy: Feeling dizzy</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208454 /-] [Invalid=5141 /-]		
<b>Literal question</b>	MQ40. In the last 6 months: how often have you had the following...? G. Feeling dizzy		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	About every day	8493	4.1%
2	More than once a week	12398	5.9%
3	About every week	14363	6.9%
4	About every month	30240	14.5%
5	Rarely or never	142960	68.6%
Sysmiss		5141	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># health: Health</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=210281 /-] [Invalid=3314 /-]		
<b>Literal question</b>	MQ41. Would you say your health is.....?		
Value	Label	Cases	Percentage
1	Excellent	73505	35.0%
2	Good	105549	50.2%
3	Fair	27450	13.1%
4	Poor	3777	1.8%
Sysmiss		3314	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># lifesat: Life satisfaction</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=207664 /-] [Invalid=5931 /-]		
<b>Literal question</b>	MQ42. Here is a picture of a ladder. The top of the ladder '10' is the best possible life for you and the bottom '0' is the worst possible life for you. In general, where on the ladder do you feel you stand at the moment?		
<b>Post-question</b>	Tick the box next to the number that best describes where you stand.		
Value	Label	Cases	Percentage
0	0, worst possible life	969	0.5%
1	1	1044	0.5%
2	2	1728	0.8%
3	3	3576	1.7%

<b># lifesat: Life satisfaction</b>			
Value	Label	Cases	Percentage
4	4	6437	3.1%
5	5	17462	8.4%
6	6	18097	8.7%
7	7	35241	17.0%
8	8	50168	24.2%
9	9	39084	18.8%
10	10, best possible life	33858	16.3%
Sysmiss		5931	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># acachieve: Academic achievement</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=209665 /-] [Invalid=3930 /-]		
<b>Literal question</b>	MQ43. In your opinion, what does your class teacher(s) think about your school performance compared to your classmates?		
Value	Label	Cases	Percentage
1	Very good	46267	22.1%
2	Good	90291	43.1%
3	Average	62419	29.8%
4	Below average	10688	5.1%
Sysmiss		3930	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># likeschool: Liking school</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=210420 /-] [Invalid=3175 /-]		
<b>Literal question</b>	MQ44. How do you feel about school at present?		
Value	Label	Cases	Percentage
1	Like a lot	60952	29.0%
2	Like a bit	95789	45.5%
3	Not very much	36630	17.4%
4	Not at all	17049	8.1%
Sysmiss		3175	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># studtogether: Students like being together</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=209073 /-] [Invalid=4522 /-]		
<b>Literal question</b>	MQ45. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. A. The students in my class(es) enjoy being together		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Strongly agree	61845	29.6%
2	Agree	90824	43.4%
3	Neither agree nor disagree	42247	20.2%
4	Disagree	9895	4.7%

<b># studtogether: Students like being together</b>			
Value	Label	Cases	Percentage
5	Strongly disagree	4262	2.0%
Sysmiss		4522	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># studhelpful: Students kind and helpful</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208421 /-] [Invalid=5174 /-]		
<b>Literal question</b>	MQ45. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. B. Most of the students in my class(es) are kind and helpful		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Strongly agree	50953	24.4%
2	Agree	89374	42.9%
3	Neither agree nor disagree	44088	21.2%
4	Disagree	17301	8.3%
5	Strongly disagree	6705	3.2%
Sysmiss		5174	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># studaccept: Students accept me</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=207836 /-] [Invalid=5759 /-]		
<b>Literal question</b>	MQ45. Here are some statements about the students in your class(es). Please show how much you agree or disagree with each one. C. Other students accept me as I am		
<b>Post-question</b>	Please tick one box for each line		
Value	Label	Cases	Percentage
1	Strongly agree	75102	36.1%
2	Agree	87060	41.9%
3	Neither agree nor disagree	29748	14.3%
4	Disagree	9921	4.8%
5	Strongly disagree	6005	2.9%
Sysmiss		5759	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># schoolpressure: Pressured by schoolwork</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=209678 /-] [Invalid=3917 /-]		
<b>Literal question</b>	MQ46. How pressured do you feel by the schoolwork you have to do?		
Value	Label	Cases	Percentage
1	Not at all	43681	20.8%
2	A little	94151	44.9%
3	Some	49271	23.5%
4	A lot	22575	10.8%
Sysmiss		3917	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># occupsesfa: Extended codes, SES Father</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=187329 /-] [Invalid=26266 /-]		
<b>Literal question</b>	Composite measure		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	SES 1 (HIGH)	10010	5.3%
2	SES 2	20243	10.8%
3	SES 3	31695	16.9%
4	SES 4	42007	22.4%
5	SES 5 (LOW)	20937	11.2%
6	JOB, SES NOT CLASS.	31556	16.8%
7	SICK,RETIRED, STUD.	4799	2.6%
8	LOOKING FOR JOB	5615	3.0%
9	HOME WORKING	1505	0.8%
10	DON'T KNOW	5163	2.8%
11	DON'T HAVE OR SEE	7687	4.1%
12	NOT CLASSIFIABLE	6112	3.3%
Sysmiss		26266	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># occupsesmo: Extended codes, SES Mother</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=187329 /-] [Invalid=26266 /-]		
<b>Literal question</b>	Composite measure		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	SES 1 (HIGH)	7320	3.9%
2	SES 2	20602	11.0%
3	SES 3	38369	20.5%
4	SES 4	24834	13.3%
5	SES 5 (LOW)	18795	10.0%
6	JOB, SES NOT CLASS.	25266	13.5%
7	SICK,RETIRED, STUD.	4695	2.5%
8	LOOKING FOR JOB	7535	4.0%
9	HOME WORKING	21893	11.7%
10	DON'T KNOW	5771	3.1%
11	DON'T HAVE OR SEE	1449	0.8%
12	NOT CLASSIFIABLE	10800	5.8%
Sysmiss		26266	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># famcar: Family car</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=206338 /-] [Invalid=7257 /-]		
<b>Literal question</b>	MQ48. Does your family own a car, van or truck?		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	No	23715	11.5%
2	One	80149	38.8%

<b># famcar: Family car</b>			
Value	Label	Cases	Percentage
3	Two or more	102474	49.7%
Sysmiss		7257	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># bedroom: Own bedroom</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=205877 /-] [Invalid=7718 /-]		
<b>Literal question</b>	MQ49. Do you have your own bedroom for yourself?		
Value	Label	Cases	Percentage
1	No	45095	21.9%
2	Yes	160782	78.1%
Sysmiss		7718	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># holidays: Vacation</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=206096 /-] [Invalid=7499 /-]		
<b>Literal question</b>	MQ50. During the past 12 months, how many times did you travel away on holiday [vacation] with your family?		
Value	Label	Cases	Percentage
1	Not at all	35094	17.0%
2	Once	58694	28.5%
3	Twice	49231	23.9%
4	More than twice	63077	30.6%
Sysmiss		7499	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># computers: No. of computers</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=206608 /-] [Invalid=6987 /-]		
<b>Literal question</b>	MQ51. How many computers does your family own?		
Value	Label	Cases	Percentage
1	None	9969	4.8%
2	1	65385	31.6%
3	2	61888	30.0%
4	More than two	69366	33.6%
Sysmiss		6987	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># welloff: Family well off</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=205116 /-] [Invalid=8479 /-]		
<b>Literal question</b>	MQ52. How well off do you think your family is?		
Value	Label	Cases	Percentage
1	Very well off	39046	19.0%
2	Quite well off	72959	35.6%
3	Average	77833	37.9%

<b># welloff: Family well off</b>			
Value	Label	Cases	Percentage
4	Not very well off	12327	6.0%
5	Not at all well off	2951	1.4%
Sysmiss		8479	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># hungry: Hungry to bed</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=210101 /-] [Invalid=3494 /-]		
<b>Literal question</b>	MQ53. Some young people go to school or to bed hungry because there is not enough food at home. How often does this happen to you?		
Value	Label	Cases	Percentage
1	Always	2768	1.3%
2	Often	4712	2.2%
3	Sometimes	32606	15.5%
4	Never	170015	80.9%
Sysmiss		3494	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># menarche: Age of menstruation</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=85345 /-] [Invalid=128250 /-]		
<b>Literal question</b>	MQ54. Have you begun to menstruate (have periods)?		
Value	Label	Cases	Percentage
1	No	29433	34.5%
7		165	0.2%
8		224	0.3%
9		771	0.9%
10		3391	4.0%
11		11826	13.9%
12		19502	22.9%
13		14833	17.4%
14		4491	5.3%
15		655	0.8%
16		24	0.0%
17		8	0.0%
18		22	0.0%
Sysmiss		128250	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			